British Journal of Plastic Surgery (2002) **55**, 715–722
© 2002 The British Association of Plastic Surgeons. Published by Elsevier Science Ltd. All rights reserved.

BRITISH JOURNAL OF PLASTIC SURGERY

Author Index

A

Abenavoli, F.M., Corelli, R. and D'Erme, G. Madelung's disease: which surgical treatment? (correspondence), 536
Acland, K., jt.author. *See* Russell-Jones, R.
Acosta, R., jt.author. *See* Zeebregts, C.
Adedeji, O.A., Bailey, C.A. and Varma, J.S. Porcine dermal collagen graft in abdominal-wall reconstruction (case report), 85
Ahčan, U. and Janežič, T. Management of aplasia cutis congenita in a non-scalp location (case report), 530
Ahmad, T., jt.author. *See* Stewart, K.J.
Ahmad, T., jt.author. *See* Yap, L.H.
Ahmed, A.O., jt.author. *See* Ahmed, O.A.
Ahmed, O., jt.author. *See* Raurell, A.
Ahmed, O., jt.author. *See* Skillman, J.M.
Ahmed, O.A. The versatile cross-stitch (correspondence), 701
Ahmed, O.A. and Ahmed, A.O. The recovery suture (correspondence), 588
Aitasalo, K., jt.author. *See* Kinnunen, I.
Ajekigbe, L.O., Baugley, P.E. and Richardson, M. An aberrant lymph node containing metastatic melanoma (correspondence), 174
Akahane, M., Ono, H., Ohgushi, H. and Takakura, Y. Viability of hypothermic preserved muscle determined by gene expression levels, 136
Akin, S. and Durak, K. One-stage treatment of chronic osteomyelitis of the proximal tibia using a pedicled vascularised double-barrel fibular flap together with a muscle flap (case report), 520
Al-Jamil, S., jt.author. *See* Alexander, G.
Alexander, G. and Ebrahim, M.K. Spontaneous bleeding following steroid injection and silicone-gel sheeting in a keloid scar (correspondence), 172
Alexander, G., Rajacic, N., Ibrahim, M.K. and Al-Jamil, S. The combined posterior temporoparietal and galeal fascial flap: a new flap in the elevation of the constructed auricle (second stage of microtia correction), 582
Ali, F.S., Harris, P.A. and Butler, P.E.M. Ambiguity in the UK guidelines for the management of cutaneous melanoma (correspondence), 452
Ali, R., jt.author. *See* Garrido, A.
Ali, R.S., Garrido, A. and Ramakrishnan, V. Stacked free hemi-DIEP flaps: a method of autologous breast reconstruction in a patient with midline abdominal scarring (case report), 351
Alvi, R., Falder, S. and McGeorge, D.D. A simple modification of TRAM flap breast reconstruction (correspondence), 173
Alvi, R., McPhail, J. and Hancock, K. Closed-field titanium magnets for the retention of complex craniofacial prostheses, 668
Anderson, W.D., Stewart, K.J., Wilson, Y. and Quaba, A.A. Skin grafts for the salvage of degloved below-knee amputation stumps, 320
Angel, M.F., jt.author. *See* Zhang, F.
Anstey, A.V., jt.author. *See* Newton Bishop, J.A.
Aoki, R., jt.author. *See* Hyakusoku, H.
Aoki, R., jt.author. *See* Ogawa, R.
Araya, E., jt.author. *See* Terán, P.
Arnstein, P., jt.author. *See* Moloney, D.
Arnstein, P.M. and Davison, J.A. If the shoe fits (correspondence), 595
Arnstein, P.M. and Lewis, J.S. Free ulnar artery forearm flap: a modification (case report), 356
Arnstein, P.M., jt.author. *See* Gargano, F.
Arora, S., jt.author. *See* Pande, S.
Arrowsmith, J. and Bindra, R. A useful technique for securing nails: the figure-of-eight suture (correspondence), 266
Aslani, A., Kleiner, U., Noah, E.M., Rudnik-Schöneborn, S. and Pallua, N. Extensor-tendon hypoplasia and multiple pterygia: Escobar syndrome in a 7-year-old boy (case report), 516
Athanassopoulos, A. and Belcher, H.J.C.R. Tongue depressor as an aid to rehabilitation after hand surgery (correspondence), 268
Ayers, D.E. and Malyon, A.D. Polypropylene: a biocompatible alternative to metal foil for use as a prosthetic nail plate (correspondence), 701
Azad, S., Mendoza, B. and Sacks, L. A technical modification for effective fenestration of small split-skin grafts (correspondence), 539
Azad, S. and Sacks, L. Modified application of alginate dressings on graft donor sites (correspondence), 177
Azad, S. and Sacks, L. Painless steroid injections for hypertrophic scars and keloids (correspondence), 534
Azad, S., jt.author. *See* Sugden, P.

B

Bailey, C.A., jt.author. *See* Adedeji, O.A.
Bajaj, S.P., jt.author. *See* Pande, S.
Banerjee, S.S., jt.author. *See* Kumar, P.
Banic, A., jt.author. *See* Harder, Y.
Bantick, G., jt.author. *See* Kavouni, A.
Banwell, P.E., Evison, D. and Whitworth, I.M. Vacuum therapy in degloving injuries of the foot: technical refinements (correspondence), 264
Barabino, P., jt.author. *See* Franchelli, S.
Barlow, R.J., jt.author. *See* Newton Bishop, J.A.
Barrellier, M.T., jt.author. *See* Faguer, K.
Barrett, E.C.A. and Kat, C.C. Sterilisation of Elastoplast adhesive tape (correspondence), 178
Barton, C.R. and Dickson, W.A. Surgery by satellite: a new generation of self-harmers (correspondence), 702
Basmacioglu, P., Claveria, G., Danino, A., Mamlouk, K., Revol, M., Vanwijck, R. and Servant, J.-M. Endoscopic harvest of the medial gastrocnemius muscle flap: a cadaveric study, 228
Batchelor, A., jt.author. *See* Parry, D.J.
Baudet, J., jt.author. *See* Pelissier, P.
Baugley, P.E., jt.author. *See* Ajekigbe, L.O.
Bayat, A., Bock, O., Mrowietz, U., Ollier, W.E.R. and Ferguson, M.W.J. Genetic susceptibility to keloid disease and transforming growth factor ß2 polymorphisms, 283
Bayat, A., jt.author. *See* Shaaban, H.
Beale, R., Dachtler, J., Rhodes, N. and Southern, S.J. Use of a scar simulator to aid patients' understanding of postoperative scar outcome (correspondence), 458
Beck, H., jt.author. *See* Rab, M.
Becker, A., jt.author. *See* Holm, C.
Behranwala, K.A. and Gui, G.P.H. The Koebner phenomenon in a myocutaneous flap following immediate breast reconstruction (correspondence), 267
Belcher, H.J.C.R., jt.author. *See* Athanassopoulos, A.
Belcher, H.J.C.R., jt.author. *See* O'Brien, C.M.
Belcher, H.J.C.R., jt.author. *See* Roblin, P.
Berens von Rautenfeld, D., jt.author. *See* Felmerer, G.
Berg, M.H., jt.author. *See* Mustonen, P.K.
Bergquist, G.E.O., jt.author. *See* Erdmann, D.
Berry, M.G. and Ion, L. Variant mattress suture for skin closure (correspondence), 178
Berry, R.B., jt.author. *See* Mandal, A.
Bhathena, H.M., jt.author. *See* Rajendra Prasad, J.S.
Bindra, R., jt.author. *See* Arrowsmith, J.
Bisset, D.L., jt.author. *See* Kumar, P.
Bisson, M.A., Dunkin, C.S.J., Suvarna, S.K. and Griffiths, R.W. Do plastic surgeons resect basal cell carcinomas too widely? A prospective study comparing surgical and histological margins, 293
Bisson, M.A., Grover, R. and Grobbelaar, A.O. Long-term results of facial rejuvenation by carbon dioxide laser resurfacing using a quantitative method of assessment, 652
Blondeel, P., jt.author. *See* Monstrey, S.

Blondeel, P.N. Venous augmentation of the free TRAM flap (correspondence), 87
Blondeel, P.N., jt.author. *See* Higgins, J.P.
Bock, O., jt.author. *See* Bayat, A.
Bodner, G., jt.author. *See* Schwabegger, A.H.
Bölander, L., jt.author. *See* Zeebregts, C.
Boorman, J.G., jt.author. *See* Jones, S.M.
Boorman, J.G., jt.author. *See* Mueller, M.
Botma, M., jt.author. *See* Lawson, K.
Boudjemaa, S., jt.author. *See* Franchi, G.
Bourke, G. and Kay, S.P.J. Free phalangeal transfer: donor-site outcome, 307
Bourke, G., jt.author. *See* Warner, R.M.
Bowen Jones, E.J. and Nunes, E. The outcome of oral mucosal grafts to the orbit: a three-and-a-half-year study, 100
Bozkurt, M., jt.author. *See* Sengezer, M.
Bracaglia, R., jt.author. *See* Loreti, A.
Brain, A.N., jt.author. *See* Kumar, P.
Brown, A.P. and Khan, K. Hamartoma of a digital nerve associated with 'triggering' of the finger (correspondence), 366
Brown, D.T., jt.author. *See* McGregor, J.C.
Bruno, A., jt.author. *See* Grippaudo, F.R.
Buckley, M.F., jt.author. *See* O'Toole, G.
Bulstrode, N., jt.author. *See* Mellor, R.H.
Bulstrode, N.W., Wilson, G.R. and Inglis, M.S. No-touch free-flap temperature monitoring (correspondence), 174
Butler, P.E.M., jt.author. *See* Ali, F.S.
Byrne, P., jt.author. *See* Parry, D.J.

C

Calonje, E., jt.author. *See* Russell-Jones, R.
Calvert, M.L., jt.author. *See* Lawson, K.
Canavese, G., jt.author. *See* Franchelli, S.
Carr, R.J., jt.author. *See* Kirkpatrick, W.N.A.
Casado, C., jt.author. *See* Terán, P.
Cassell, O.C.S., Fitton, A.J., Dickson, W.A. and Milling, M.A.P. An audit of the tetanus immunisation status of plastic surgery trauma and burns patients, 215
Cassell, O.C.S., Hofer, S.O.P., Morrison, W.A. and Knight, K.R. Vascularisation of tissue-engineered grafts: the regulation of angiogenesis in reconstructive surgery and in disease states (review), 603
Cawrse, N.H., Inglefield, C.J., Hayes, C. and Palmer, J.H. A snake in the clinical grass: late compartment syndrome in a child bitten by an adder, 434
Cerovac, S., jt.author. *See* Skillman, J.
Chabolle, F., jt.author. *See* Krastinova, D.
Chana, J.S., Grover, R., Tulley, P., Lohrer, H., Sanders, R., Grobbelaar, A.O. and Wilson, G.D. The *c-myc* oncogene: use of a biological prognostic marker as a potential target for gene therapy in melanoma, 623
Chang, T.L., jt.author. *See* Fang, R.H.
Chaudhari, C., jt.author. *See* Rajendra Prasad, J.S.
Chester, D.L. Capacitance coupling and diathermy burns (correspondence), 705
Chester, D.L. and Waters, R. Adverse alteration of wound flora with topical negative-pressure therapy: a case report, 510
Chippindale, A.J., jt.author. *See* Ragbir, M.
Chiu, H.-Y., jt.author. *See* Lee, J.-W.
Choudhary, S. and Curnier, A. An intraoperative DIY breast sizer (correspondence), 592
Chung, Y.K., jt.author. *See* Hong, J.P.
Chuo, C.B., jt.author. *See* Rizkalla, M.
Cicchetti, S., Skillman, J. and Gault, D.T. Piercing the upper ear: a simple infection, a difficult reconstruction, 194
Çizmeci, O., Emekli, U. and Tuncer, S. Versatility of the semi-rigid ruler in plastic surgery (correspondence), 704
Clare, T., jt.author. *See* Cubison, T.C.S.
Clarkson, J.H.W., McAllister, R.M.R., Cliff, S.H. and Powell, B. Subungual melanoma in situ: two independent streaks in one nail bed (case report), 165
Claveria, G., jt.author. *See* Basmacioglu, P.
Cliff, S.H., jt.author. *See* Clarkson, J.H.W.
Coert, J.H., jt.author. *See* Meek, M.F.
Coleman, D.J., jt.author. *See* Pandya, A.N.
Colville, R.J.I., McLean, N.R. and Cross, P.A. True double capsules in oil-based (Trilucent) breast implants (correspondence), 270
Colville, R.J.I., McLean, N.R., Mallen, C.A. and McLean, L. The impact of breast augmentation on the breast-screening programme (correspondence), 592
Cook, , M.G., jt.author. *See* Mandalia, M.R.
Cooper, J.G., Edwards, S.L. and Holmes, J.D. Kaposiform haemangioendothelioma: case report and review of the literature (case report), 163
Cooper, M.A.C.S.,jt.author. *See* Josty, I.C.
Cooter, R.D., jt.author. *See* Dean, N.R.
Cooter, R.D., jt.author. *See* MacKinnon, C.A.
Corelli, R., jt.author. *See* Abenavoli, F.M.
Corrie, P.G., jt.author. *See* Newton Bishop, J.A.
Cox, N.H., jt.author. *See* Newton Bishop, J.A.
Cross, P.A., jt.author. *See* Colville, R.J.I.
Cubison, T.C.S. and Clare, T. Lasagne: a simple model to assess the practical skills of split-skin graft harvesting and mesh (correspondence), 703
Cunha-Gomes, D., jt.author. *See* Rajendra Prasad, J.S.
Curnier, A., jt.author. *See* Choudhary, S.
Currie, L., jt.author. *See* Jones, I.

D

Dachtler, J., jt.author. *See* Beale, R.
Dalal, M. and Davison, P.M. Cleft palate congenital alveolar synechiae syndrome: case reports and review (case report), 256
Dalal, M. and Nancarrow, J.D. The Wordsley step incision for axillary lymph-node dissection (correspondence), 364
Dalal, M., Sterne, G. and Murray, D.S. Streptococcal myositis: a lesion (case report), 682
Danino, A., jt.author. *See* Basmacioglu, P.
Dave, R. and Mahaffey, P.J. Successful treatment of an allergic reaction in a red tattoo with the Nd-YAG laser (correspondence), 456
Dave, R., Monk, B. and Mahaffey, P. Spontaneous disappearance of refractory viral warts at distant sites following carbon-dioxide laser treatment (case report), 696
Davenport, P., jt.author. *See* Shaaban, H.
Davenport, P.J., jt.author. *See* Kumar, P.
David, D.J., jt.author. *See* MacKinnon, C.A.
Davies, C.E., jt.author. *See* Dunkin, C.S.J.
Davis, B.J., Jindal, M. and Kisku, W. A simple technique for areolar marking (correspondence), 534
Davison, J.A., jt.author. *See* Arnstein, P.M.
Davison, P.M., jt.author. *See* Dalal, M.
Davison, P.M., jt.author. *See* Timoney, N.
Dawes, M., jt.author. *See* Lens, M.B.
Dawson, A.,jt.author. *See* Josty, I.C.
De Souza, B.A. and Asplund, O. Consenting made easy: using a sticky label (correspondence), 176
De Souza, B.A. and Shibu, M. Hypafix-induced pigmentation (correspondence), 266
De Souza, B.A. and Shibu, M. Painless acyclovir extravasation injury in a diabetic (correspondence), 264
de Weerd, L., jt.author. *See* Weerd, L. de
Dean, N.R., Neild, T., Haynes, J., Goddard, C. and Cooter, R.D. Fading of nipple—areolar reconstructions: the last hurdle in breast reconstruction?, 574
DeBono, R., Thompson, A. and Stevenson, J.H. Immediate versus delayed free TRAM breast reconstruction: an analysis of perioperative factors and complications, 111
Depuydt, K., jt.author. *See* Monstrey, S.
D'Erme, G., jt.author. *See* Abenavoli, F.M.
Desai, S., jt.author. *See* Rajendra Prasad, J.S.
Deveci, M., jt.author. *See* Sengezer, M.
Devlin, M., jt.author. *See* Siegmund, C.J.
Dheansa, B., jt.author. *See* Skillman, J.M.
Dhital, S.K., jt.author. *See* Sundaram, R.O.
Dickson, M.G., jt.author. *See* Pandya, A.N.
Dickson, W.A., jt.author. *See* Barton, C.R.
Dickson, W.A., jt.author. *See* Cassell, O.C.S.
Diner, P.A., jt.author. *See* Franchi, G.
Doherty, M., jt.author. *See* Russell-Jones, R.

Dompmartin, A., jt.author. *See* Faguer, K.
Dorsett-Martin, W., jt.author. *See* Zhang, F.
Duff, C.G. and Dujon, D.G. Gillies' forceps diathermy burns: a cautionary note (correspondence), 598
Dujon, D.G., jt.author. *See* Duff, C.G.
Dunaway, D.J., jt.author. *See* Ragbir, M.
Dunkin, C.S.J., Pleat, J.M. and Davies, C.E. Protecting patients and surgeons: implications of the Data Protection Act 1998 in plastic surgical practice (correspondence), 168
Dunkin, C.S.J., jt.author. *See* Bisson, M.A.
Dunn, R., jt.author. *See* Shoaib, T.
Durak, K., jt.author. *See* Akin, S.

E

Earley, M.J., jt.author. *See* Hynes, P.J.
Ebrahim, M.K., jt.author. *See* Alexander, G.
Edwards, S.L., jt.author. *See* Cooper, J.G.
El-Muttardi, N., jt.author. *See* Georgeu, G.A.
Elliott, B. and Palmer, J.H. Emancipation from surgical log-book data entry (correspondence), 267
Emekli, U., jt.author. *See* Çizmeci, O.
Erdmann, D., Bergquist, G.E.O. and Levin, L.S. Ipsilateral free fibula transfer for reconstruction of a segmental femoral-shaft defect, 675
Erdmann, D., jt.author. *See* Küntscher, M.V.
Erni, D., jt.author. *See* Harder, Y.
Evans, J., jt.author. *See* Newton Bishop, J.A.
Evison, D., jt.author. *See* Banwell, P.E.

F

Fadda, G., jt.author. *See* Loreti, A.
Faguer, K., Dompmartin, A., Labbé, D., Barrellier, M.T., Leroy, D. and Theron, J. Early surgical treatment of Cyrano-nose haemangiomas with Rethi incision, 498
Falder, S., jt.author. *See* Alvi, R.
Fang, R.H. and Chang, T.L. Watch out for the K-wire: painful experiences in two cases (case report), 698
Farallo, E., jt.author. *See* Loreti, A.
Fatah, M.F., jt.author. *See* Sterne, G.D.
Fauvel, N.J., jt.author. *See* Kirkpatrick, W.N.A.
Feeley, K., jt.author. *See* Griffiths, R.W.
Felmerer, G., Muehlberger, T., Berens von Rautenfeld, D. and Vogt, P.M. The lymphatic system of the deep inferior epigastric perforator flap: an anatomical study, 335
Ferguson, M.W.J., jt.author. *See* Bayat, A.
Fialkov, J.A., jt.author. *See* McKay, D.R.
Fitton, A.J., jt.author. *See* Cassell, O.C.S.
Fitzpatrick, B., jt.author. *See* Lynch, J.
Fleming, A., jt.author. *See* Skillman, J.
Fleming, A.N.M., jt.author. *See* Rose, V.
Forster, A., jt.author. *See* Yap, L.H.
Fourie, L., jt.author. *See* Warner, R.M.
Franchelli, S., Canavese, G., Murolo, C. and Barabino, P. Local recurrence of breast cancer around a prosthesis dome (case report), 685
Franchi, G., Sleilati, F., Soupre, V., Boudjemaa, S., Josset, P., Diner, P.A. and Vazquez, M.P. Melanotic neuroectodermal tumour of infancy involving the orbit and maxilla: surgical management and follow-up strategy (case report), 526
Franchi, G., jt.author. *See* Krastinova, D.
Frey, M., jt.author. *See* Rab, M.

G

Gao, J.-H., jt.author. *See* Hyakusoku, H.
Gargano, F., Moloney, D.M. and Arnstein, P.M. Use of a capsular flap to prevent palpable wrinkling of implants (correspondence), 269
Garrido, A., Ali, R., Ramakrishnan, V., Spyrou, G. and Stanley, P.R.W. Reconstruction of the natal cleft with a perforator-based flap, 671
Garrido, A., jt.author. *See* Ali, R.S.
Gault, D., jt.author. *See* MacQuillan, A.
Gault, D.T., jt.author. *See* Cicchetti, S.
Gault, D.T., jt.author. *See* Lawson, K.
Gebhard, M.M., jt.author. *See* Küntscher, M.V.
Geertruyden, J.P. Van. Earlobe reconstruction with a reverse-flow chondrocutaneous flap (case report), 253
Geh, J.L.C. and Niranjan, N.S. Perforator-based fasciocutaneous island flaps for the reconstruction of axillary defects following excision of hidradenitis suppurativa, 124
Gentileschi, S., jt.author. *See* Loreti, A.
George, E., jt.author. *See* Raurell, A.
Georgeu, G., Putnis, S. and Pereira, J. Gilles forceps diathermy burns (correspondence), 263
Georgeu, G.A., El-Muttardi, N. and Mercer, D.M. Malignant melanoma metastasis to the sentinel node in the popliteal fossa (case report), 443
Georgeu, G.A., Ramsey, K.W.D., El-Muttardi, N. and Mayou, B.J. Groin dissections in epidermolysis bullosa: a report of groin dissection for the control of metastatic squamous carcinoma in patients with epidermolysis bullosa (case report), 678
Germann, G., jt.author. *See* Küntscher, M.V.
Gilbert, P.M., jt.author. *See* Roblin, P.
Giovanni, U.M. and Teot, L. Aesthetic complex reconstruction of the lower leg: application of dermal substitute (Integra) to an adipofascial flap (correspondence), 171
Goddard, C., jt.author. *See* Dean, N.R.
Goodacre, T., jt.author. *See* Lens, M.B.
Gore, M.E., jt.author. *See* Newton Bishop, J.A.
Grant, I., Warwick, K., Marshall, J., Green, C. and Martin, R. The co-application of sprayed cultured autologous keratinocytes and autologous fibrin sealant in a porcine wound model, 219
Gray, H.W., jt.author. *See* Ross, G.L.
Green, C., jt.author. *See* Grant, I.
Greenbaum, A. A maternity bra as a dressing after breast reduction (correspondence), 591
Gregson, M., jt.author. *See* Hough, M.
Griffiths, R.W., Feeley, K. and Suvarna, S.K. Audit of clinical and histological prognostic factors in primary invasive squamous cell carcinoma of the skin: assessment in a minimum 5 year follow-up study after conventional excisional surgery, 287
Griffiths, R.W., jt.author. *See* Bisson, M.A.
Grippaudo, F.R., Minasi, P., Rocco, M., Bruno, A., Saracca, E. and Muratori, L. Mammary implants: laboratory simulation of recreational diving conditions, 120
Grobbelaar, A.O., jt.author. *See* Bisson, M.A.
Grobbelaar, A.O., jt.author. *See* Chana, J.S.
Grover, R., jt.author. *See* Bisson, M.A.
Grover, R., jt.author. *See* Chana, J.S.
Gui, G.P.H., jt.author. *See* Behranwala, K.A.

H

Haertsch, P. Reconstructive surgery using an artificial dermis (Integra) (correspondence), 362
Hall, P.N., jt.author. *See* Newton Bishop, J.A.
Hamdi, M., jt.author. *See* Monstrey, S.
Hancock, K., jt.author. *See* Alvi, R.
Harada, T., jt.author. *See* Muraoka, M.
Harder, Y., Erni, D. and Banic, A. Squamous cell carcinoma of the penile skin in a neovagina 20 years after male-to-female reassignment (case report), 449
Härmä, M.A., jt.author. *See* Mustonen, P.K.
Harris, P., jt.author. *See* Topping, A.
Harris, P.A., jt.author. *See* Ali, F.S.
Harris, P.A., jt.author. *See* Rose, V.
Haslik, W., jt.author. *See* Rab, M.
Hata, Y., jt.author. *See* Mori, H.
Hayashi, K., jt.author. *See* Yamada, N.
Hayes, C., jt.author. *See* Cawrse, N.H.
Haynes, J., jt.author. *See* Dean, N.R.
Haywood, R.M., jt.author. *See* Misra, A.
Healy, C., jt.author. *See* Russell-Jones, R.
Hessel, K.C., jt.author. *See* Timmons, M.J.
Hettiaratchy, S.P., jt.author. *See* Rayatt, S.S.
Higgins, J.P., Orlando, G.S. and Blondeel, P.N. Ischial pressure sore reconstruction using an inferior gluteal artery perforator (IGAP) flap (case report), 83

Hobman, J. and Liddington, M. Inflammatory expansion of a breast augmented by a Trilucent implant (case report), 694
Hoeksema, S., jt.author. *See* Monstrey, S.
Hofer, S.O.P., jt.author. *See* Cassell, O.C.S.
Höfter, E., jt.author. *See* Holm, C.
Holm, C., Mayr, M., Höfter, E., Becker, A., Pfeiffer, U.J. and Mühlbauer, W. Intraoperative evaluation of skin-flap viability using laser-induced fluorescence of indocyanine green, 635
Holmes, J.D., jt.author. *See* Cooper, J.G.
Holmes, J.D., jt.author. *See* Stewart, K.J.
Hong, J.P., Chung, Y.K., Kim, S.-W., Kim, T.-H. and Lee, K.-G. Solitary fibrous tumour of the face: a rare case report (case report), 75
Hosokawa, K., jt.author. *See* Kikuchi, M.
Hough, M., Gregson, M. and Southern, S. The splint prescription (correspondence), 537
Huang, S., jt.author. *See* Misra, A.
Hunt, S.P., jt.author. *See* Payne, C.E.
Hutchinson, P.E., jt.author. *See* Osborne, J.E.
Hyakusoku, H., Gao, J.-H., Pennington, D.G., Aoki, R., Murakami, M. and Ogawa, R. The microvascular augmented subdermal vascular network (ma-SVN) flap: its variations and recent development in using intercostal perforators, 402
Hyakusoku, H., jt.author. *See* Ogawa, R.
Hynes, P.J., Earley, M.J. and Lawlor, D. Split-thickness skin grafts and negative-pressure dressings in the treatment of axillary hidradenitis suppurativa, 507

I

Ibrahim, M.K., jt.author. *See* Alexander, G.
Inglefield, C.J., jt.author. *See* Cawrse, N.H.
Inglefield, C.J., jt.author. *See* Oliver, D.W.
Inglis, M.S., jt.author. *See* Bulstrode, N.W.
Ion, L., jt.author. *See* Berry, M.G.
Ip, S.P.S., jt.author. *See* Leung, Y.-F.
Ismail, Y., McLean, N.R. and Kelly, C.G. Head and neck oncology: the UK experience. Who is publishing what?, 570
Itami, S., jt.author. *See* Kikuchi, M.
Itoman, M., jt.author. *See* Saita, Y.

J

Jain, A. and Nanchahal, J. Research options for plastic surgical trainees, 427
Jakobsson, O., jt.author. *See* Zeebregts, C.
Janežič, T., jt.author. *See* Ahèan, U.
Jones, B.M., jt.author. *See* Kirkpatrick, W.N.A.
Jones, I., Currie, L. and Martin, R. A guide to biological skin substitutes (review), 185
Jones, M.E., jt.author. *See* MacQuillan, A.
Jones, S.M., Moloney, D.M. and Boorman, J.G. Impromptu foam dressings (correspondence), 264
Jose, R.M., Varghese, S. and Nandakumar, U.R. Modified Watsui splint: a simple and economical device (correspondence), 270
Josset, P., jt.author. *See* Franchi, G.
Josty, I.C., Sathappan, S., Cooper, M.A.C.S. and Dawson, A. Salvage of major joint prostheses in aggressive non-specific panniculitis (case report), 585
Juma, A., jt.author. *See* Sundaram, R.O.
Juran, S., jt.author. *See* Küntscher, M.V.

K

Kabir, S.M.R., Raurell, A. and Ramakrishnan, V. Lymphoedema of the eyelids (case report), 153
Kajikawa, A. and Ueda, K. Crab-pincers style facial artery flap, 565
Kamiishi, H., jt.author. *See* Kosaka, M.
Kamotz, L.-P., jt.author. *See* Rab, M.
Kang, N. and Sanders, R. Plastic surgery research in the UK, 463
Kanjoor, J.R., jt.author. *See* Lari, A.R.
Kar, T. Van De, jt.author. *See* Lapière, K.
Kat, C.C., jt.author. *See* Barrett, E.C.A.
Katchy, K.C., jt.author. *See* Lari, A.R.
Kavarana, N.M., jt.author. *See* Rajendra Prasad, J.S.
Kavouni, A., Bantick, G. and Stanek, J.J. The prevention of haematoma following rhytidectomy (correspondence), 170
Kay, S.P.J., jt.author. *See* Bourke, G.
Kaygusuz, S., jt.author. *See* Saray, A.
Kelly, C.G., jt.author. *See* Ismail, Y.
Kelly, M.B.H., jt.author. *See* Krastinova, D.
Kelly, N., jt.author. *See* Lynch, J.
Kenealy, J., jt.author. *See* Reynolds, N.
Kessel, D., jt.author. *See* Parry, D.J.
Key, A., jt.author. *See* Rayatt, S.S.
Khan, K., jt.author. *See* Brown, A.P.
Khan, U., O'Brien, M. and Pickford, M.A. Free radial forearm adipofascial flaps raised through limited incisions, 412
Khan, Z.U., jt.author. *See* Lari, A.R.
Khandwala, A. and Nduka, C. Intraoperative fracture fixation made easy (correspondence), 365
Kikuchi, M., Yano, K., Kubo, T., Hosokawa, K., Yamaguchi, Y. and Itami, S. Giant basal cell carcinoma affecting the lower abdominal, genital and bilateral inguinal regions (case report), 445
Kilic, D., jt.author. *See* Saray, A.
Kim, C.J., jt.author. *See* Koh, K.S.
Kim, J., jt.author. *See* Koh, K.S.
Kim, S., jt.author. *See* Koh, K.S.
Kim, S.-W., jt.author. *See* Hong, J.P.
Kim, T.-H., jt.author. *See* Hong, J.P.
Kinnumen, I., Laurikainen, E., Schrey, A., Laippala, P. and Aitasalo, K. Effect of hypothermia on blood-flow responses in pedicled groin flaps in rats, 657
Kirkham, N., jt.author. *See* Newton Bishop, J.A.
Kirkpatrick, N. and Waterhouse, N. Department of Health withdraws variant CJD transmission recommendations for single-use instruments (correspondence), 262
Kirkpatrick, W.N.A. and Jones, B.M. The history of Trilucent implants, and a chemical analysis of the triglyceride filler in 51 consecutively removed Trilucent breast prostheses, 479
Kirkpatrick, W.N.A., Koshy, C.E., Waterhouse, N., Fauvel, N.J., Carr, R.J. and Peterson, D.C. Paediatric transcranial surgery: a review of 114 consecutive procedures, 561
Kisa, U., jt.author. *See* Saray, A.
Kleiner, U., jt.author. *See* Aslani, A.
Knight, K.R., jt.author. *See* Cassell, O.C.S.
Kobus, K., Szczyt, M., Łatkowski, I. and Wójcicki, P. Reconstruction of the auricle, 645
Koh, K.S., Kim, J., Kim, C.J., Kwun, B.D. and Kim, S. Hypoglossal—facial crossover in facial-nerve palsy: pure end-to-side anastomosis technique, 255
Kohli, J.S., jt.author. *See* Pande, S.
Kolhe, P.S., jt.author. *See* Stewart, K.J.
Koller, R., jt.author. *See* Rab, M.
Kong, K.L., jt.author. *See* Sterne, G.D.
Kosaka, M., Miyanohara, T., Mochizuki, Y. and Kamiishi, H. A rare case of facial-nerve neurofibroma in the parotid gland (case report), 689
Koshy, C.E., jt.author. *See* Kirkpatrick, W.N.A.
Kranidhiotis, N.M., jt.author. *See* Timmons, M.J.
Krastinova, D., Franchi, G., Kelly, M.B.H. and Chabolle, F. Rehabilitation of the paralysed or lax lower eyelid using a graft of conchal cartilage, 12
Krekels, G., jt.author. *See* Lapière, K.
Krishnan, K.G. The venous flaps: an experimental study of the microvascular architecture, the area of perfusion and their correlation, 340
Kubo, T., jt.author. *See* Kikuchi, M.
Kumar, P., Watson, S., Brain, A.N., Davenport, P.J., McWilliam, L.J., Banerjee, S.S. and Bisset, D.L. Incomplete excision of basal cell carcinoma: a prospective multicentre audit, 616
Küntscher, M.V., Juran, S., Menke, H., Gebhard, M.M., Erdmann, D. and Germann, G. The role of pre-ischaemic application of the nitric oxide donor spermine/nitric oxide complex in enhancing flap survival in a rat model, 430
Kurt, E., jt.author. *See* Sengezer, M.
Kwun, B.D., jt.author. *See* Koh, K.S.

L

La Rusca, I., jt.author. *See* Schonauer, F.
Labbé, D., jt.author. *See* Faguer, K.
Lahiri, A. and Watson, J.S. Surgery without sutures: circular excision in the treatment of small cutaneous lesions (correspondence), 90
Laippala, P., jt.author. *See* Kinnunen, I.
Lamberty, B.G.H., jt.author. *See* Payne, C.E.
Landuyt, K. Van, jt.author. *See* Monstrey, S.
Lapière, K., Ostertag, J., Kar, T. Van De and Krekels, G. A neonate with a giant congenital naevus: a new treatment option with the erbium:YAG laser (case report), 440
Lari, A.R., Kanjoor, J.R., Vulvoda, M., Katchy, K.C. and Khan, Z.U. Orbital reconstruction following sino-nasal mucormycosis (case report), 72
Latimer, J., jt.author. *See* Ragbir, M.
Łatkowski, I., jt.author. *See* Kobus, K.
Laurikainen, E., jt.author. *See* Kinnunen, I.
Lawlor, D., jt.author. *See* Hynes, P.J.
Lawson, K., Waterhouse, N., Gault, G.T., Calvert, M.L., Botma, M. and Ng, R. Is hemifacial microsomia linked to multiple maternities?, 474
Lee, J.-W., Pan, S.-C., Lin, Y.-T and Chiu, H.-Y. Cross-limb vascular shunting as an auxiliary to major limb revascularisation (case report), 438
Lee, K.-G., jt.author. *See* Hong, J.P.
Lens, M.B., Dawes, M., Newton-Bishop, J.A. and Goodacre, T. Management of regional lymph nodes in patients with malignant melanoma: questionnaire survey of UK current practice, 372
Lepreux, S., jt.author. *See* Pelissier, P.
Leroy, D., jt.author. *See* Faguer, K.
Leung, Y.-F. and Ip, S.P.S. Chronic erosion injury of a digit by a ring: epidemiology, staging, treatment and prognosis (case report), 353
Levin, L.S., jt.author. *See* Erdmann, D.
Lewis, J.S., jt.author. *See* Arnstein, P.M.
Liddington, M., jt.author. *See* Hobman, J.
Lin, Y.-T., jt.author. *See* Lee, J.-W.
Lindeman, R., jt.author. *See* O'Toole, G.
Lineaweaver, W.C., jt.author. *See* Zhang, F.
Liu, H., jt.author. *See* Zhang, F.
Lohrer, H., jt.author. *See* Chana, J.S.
Loreti, A., Sturla, M., Gentileschi, S., Bracaglia, R., Prat, Y., Fadda, G. and Farallo, E. Diffuse hyperplastic oncocytosis of the parotid gland (case report), 151
Luukkonen, M.T., jt.author. *See* Mustonen, P.K.
Lynch, J., Kelly, N., Fitzpatrick, B. and Regan, P. A sacrococcygeal extraspinal ependymoma in a 67-year-old man: a case report and review of the literature (case report), 80

M

McAllister, R.M.R., jt.author. *See* Clarkson, J.H.W.
McCarthy, N., jt.author. *See* O'Toole, G.
McGeorge, D.D., jt.author. *See* Alvi, R.
McGregor, J.C. Plastic surgery waiting lists — is anyone listening? The static work activity profile (correspondence), 457
McGregor, J.C. and Brown, D.T. Observations on a consecutive series of patients who have had Trilucent breast implants removed as recommended by the MDA Hazard Notice (May 2000), 231
McKay, D.R. and Fialkov, J.A. Autosomal dominant craniometaphyseal dysplasia with atypical features (case report), 144
Mackay, I.R., jt.author. *See* Sivarnjan, V.
MacKenzie, D., jt.author. *See* O'Toole, G.
MacKie, R., jt.author. *See* Ross, G.L.
Mckinnell, T., jt.author. *See* Mandal, A.
MacKinnon, C.A., David, D.J. and Cooter, R.D. Blindness and severe visual impairment in facial fractures: an 11 year review, 1
Mackinnon, S.E., jt.author. *See* Novak, C.B.
McLean, L., jt.author. *See* Colville, R.J.I.
McLean, N.R., jt.author. *See* Colville, R.J.I.
McLean, N.R., jt.author. *See* Ismail, Y.
McLean, N.R., jt.author. *See* Morritt, A.N.
McLean, N.R., jt.author. *See* Ragbir, M.
McPhail, J., jt.author. *See* Alvi, R.
MacQuillan, A., Jones, M.E. and Gault D. Taking leech to blood: but can you make him drink? (correspondence), 540
McWilliam, L.J., jt.author. *See* Kumar, P.
Mahaffey, P., jt.author. *See* Dave, R.
Mahaffey, P.J., jt.author. *See* Dave, R.
Maisels, D.O. Anterior scoring for prominent ears: probably the Cloutier technique (correspondence), 168
Mallen, C.A., jt.author. *See* Colville, R.J.I.
Malyon, A.D., jt.author. *See* Ayers, D.E.
Mamlouk, K., jt.author. *See* Basmacioglu, P.
Mandal, A., Mckinnell, T. and Berry, R.B. Retained tongue stud: an unusual complication of tongue piercing (correspondence), 535
Mandalia, M.R., Skillman, J.M., Cook, M.G. and Powell, B.W.E.M. Halo naevus or malignant melanoma? A case report, 512
Manigandan, C. 'Salute splint': a useful alternative (correspondence), 88
Marshall, J., jt.author. *See* Grant, I.
Martin, D., jt.author. *See* Pelissier, P.
Martin, R., jt.author. *See* Grant, I.
Martin, R., jt.author. *See* Jones, I.
Marucci, D., jt.author. *See* O'Toole, G.
Masquelet, A.-C., jt.author. *See* Pelissier, P.
Masuda, R., jt.author. *See* Yamada, N.
Matsuo, A., jt.author. *See* Yamada, N.
Matthews, R.N., jt.author. *See* Rizkalla, M.
Mayou, B.J., jt.author. *See* Georgeu, G.A.
Mayr, M., jt.author. *See* Holm, C.
Meek, M.F. and Coert, J.H. Sensory recovery after reconstruction of defects of long fingertips using the pedicled flap (correspondence), 175
Meggeneder, J., jt.author. *See* Rab, M.
Mellor, R.H., Bulstrode, N., Withey, S., Moss, A.L.H. and Mortimer, P.S. The stretch test in basal cell carcinoma: a clinical indicator of tumour (correspondence), 594
Mendoza, B., jt.author. *See* Azad, S.
Menger, M.D., jt.author. *See* Rücker, M.
Menke, H., jt.author. *See* Küntscher, M.V.
Mercer, D.M., jt.author. *See* Georgeu, G.A.
Mercer, N.S.G. The use of preoperative swabs in cleft lip and palate repair (correspondence), 176
Millesi, W., jt.author. *See* Nehrer-Taircych, G.V.
Milling, M.A.P., jt.author. *See* Cassell, O.C.S.
Minasi, P., jt.author. *See* Grippaudo, F.R.
Misra, A., Huang, S. and Haywood, R.M. The pillowcase sling after hand surgery (correspondence), 460
Miyanohara, T., jt.author. *See* Kosaka, M.
Miyazaki, S., jt.author. *See* Yotsuyanagi, T.
Mochizuki, Y., jt.author. *See* Kosaka, M.
Mohammed, F., jt.author. *See* Ragbir, M.
Molea, G., jt.author. *See* Schonauer, F.
Moloney, D. and Arnstein, P. An effective self-retaining retractor for limb surgery (correspondence), 705
Moloney, D., jt.author. *See* Rose, V.
Moloney, D.M., jt.author. *See* Gargano, F.
Moloney, D.M., jt.author. *See* Jones, S.M.
Monk, B., jt.author. *See* Dave, R.
Monstrey, S., Hoeksema, H., Saelens, H., Depuydt, K., Hamdi, M., Landuyt, K. Van and Blondeel, P. A conservativa approach for deep dermal burn wounds using polarised-light therapy, 420
Montadon, D., jt.author. *See* Quinodoz, P.
Mori, H., Tanaka, K., Umeda, T. and Hata, Y. Ear construction in elderly patients: a two-part helix method in a framework (correspondence), 589
Morrison, W.A., jt.author. *See* Cassell, O.C.S.
Morritt, A.N., Raine, C. and McLean, N.R. The double-barrelled end-to-end microvascular anastomosis (technical innovation), 64
Mortimer, P.S., jt.author. *See* Mellor, R.H.
Moss, A.L.H. The use of preoperative swabs in cleft lip and palate repair (correspondence), 533
Moss, A.L.H., jt.author. *See* Mellor, R.H.
Moss, A.L.H., jt.author. *See* Rose, V.
Moss, A.L.H., jt.author. *See* Skillman, J.
Moss, A.L.H., jt.author. *See* Topping, A.
Moss, A.L.H., jt.author. *See* Willis, K.
Mrowietz, U., jt.author. *See* Bayat, A.
Muehlberger, T., jt.author. *See* Felmerer, G.
Mueller, M. and Boorman, J.G. Post-burn breast resurfacing using an abdominal full-thickness skin graft (case report), 148
Mühlbauer, W., jt.author. *See* Holm, C.

Murakami, M., jt.author. *See* Hyakusoku, H.
Murakami, M., jt.author. *See* Ogawa, R.
Muraoka, M., Taniguchi, T. and Harada, T. A new conservative treatment for retention cyst of the lip: OK-432 injection (correspondence), 533
Muratori, L., jt.author. *See* Grippaudo, F.R.
Murolo, C., jt.author. *See* Franchelli, S.
Murray, D.S., jt.author. *See* Dalal, M.
Mustonen, P.K., Härmä, M.A., Berg, M.H. and Luukkonen, M.T. Microvascular myocutaneous flaps in the lumbosacral area using the iliac artery and vein as recipient vessels (case report), 514

N

Nakamura, K., jt.author. *See* Saita, Y.
Nancarrow, J.D., jt.author. *See* Dalal, M.
Nancarrow, J.D., jt.author. *See* Prosser, G.H.
Nanchahal, J. The bra-strap injury (correspondence), 452
Nandakumar, U.R., jt.author. *See* Jose, R.M.
Naylor, I.L., jt.author. *See* Spyrou, G.E.
Nduka, C., jt.author. *See* Khandwala, A.
Nehrer-Taircych, G.V., Millesi, W., Schuhfried, O. and Rath, T. A comparison of the donor-site morbidity after using the prelaminated fasciomucosal flap and the fasciocutaneous radial forearm flap for intraoral reconstruction, 198
Neild, T., jt.author. *See* Dean, N.R.
Newton Bishop, J.A., Corrie, P.G., Evans, J., Gore, M.E., Hall, P.N., Kirkham, N., Roberts, D.L.L., Anstey, A.V., Barlow, R.J. and Cox, N.H. UK guidelines for the management of cutaneous melanoma, 46
Newton-Bishop, J.A., jt.author. *See* Lens, M.B.
Ng, R., jt.author. *See* Lawson, K.
Ninković, M., jt.author. *See* Schwabegger, A.H.
Niranjan, N.S. Venous augmentation of the free TRAM flap (correspondence), 363
Niranjan, N.S., jt.author. *See* Geh, J.L.C.
Noah, E.M., jt.author. *See* Aslani, A.
Novak, C.B., Mackinnon, S.E. and Tung, T.H.H. Patient outcome following a thoracodorsal to musculocutaneous nerve transfer for reconstruction of elbow flexion, 416
Nunes, E., jt.author. *See* Bowen Jones, E.J.
Nussbaum, J.-L., jt.author. *See* Quinodoz, P.

O

Oba, S., jt.author. *See* Yagi, Y.
O'Brien, C.M. and Belcher, H.J.C.R. Imaginary figures of childhood: an under-used resource in plastic surgery? (correspondence), 90
O'Brien, M., jt.author. *See* Khan, U.
Ogawa, R., Hyakusoku, H., Murakami, M., Aoki, R., Tanuma, K. and Pennington, D.G. An anatomical and clinical study of the dorsal intercostal cutaneous perforators, and application to free microvascular augmented subdermal vascular network (ma-SVN) flaps, 396
Ogawa, R., jt.author. *See* Hyakusoku, H.
Ohgushi, H., jt.author. *See* Akahane, M.
Oliver, D.W. and Inglefield, C.J. Liposuction of haematoma (correspondence), 269
Ollier, W.E.R., jt.author. *See* Bayat, A.
Omiya, Y., jt.author. *See* Yagi, Y.
Ono, H., jt.author. *See* Akahane, M.
Orlando, G.S., jt.author. *See* Higgins, J.P.
Osborne, J.E. and Hutchinson, P.E. A follow-up study to investigate the efficacy of initial treatment of lentigo maligna with surgical excision, 611
Ostertag, J., jt.author. *See* Lapière, K.
O'Toole, G., MacKenzie, D., Lindeman, R., Buckley, M.F., Marucci, D., McCarthy, N. and Poole, M. Vascular endothelial growth factor gene therapy in ischaemic rat skin flaps, 55
Özcan, M., jt.author. *See* Özgenel, G.Y.
Özgenel, G.Y. The influence of human amniotic fluid on the potential of rabbit ear perichondrial flaps to form cartilage tissue, 246
Özgenel, G.Y. and Özcan, M. Bilateral parotid-duct diversion using autologous vein grafts for the management of chronic drooling in cerebral palsy, 490
Öztürk, S., jt.author. *See* Sengezer, M.

P

Pallua, N., jt.author. *See* Aslani, A.
Palmer, J.H., jt.author. *See* Cawrse, N.H.
Palmer, J.H., jt.author. *See* Elliott, B.
Pan, S.-C., jt.author. *See* Lee, J.-W.
Pande, S., Kohli, J.S., Arora, S. and Bajaj, S.P. The osseofasciocutaneous flap: a new method to transfer fibula along with a sufficient amount of skin, 312
Pandya, A.N. and Dickson, M.G. Capsule within a capsule: an unusual entity (correspondence), 455
Pandya, A.N., Vadodaria, S. and Coleman, D.J. Tissue expansion in the limbs: a comparative analysis of limb and non-limb sites, 302
Parry, D.J., Byrne, P., Kessel, D., Robertson, I., Patel, J., Batchelor, A. and Scott, D.J.A. Pharmacological salvage of a combined distal bypass and free flap with catheter-directed thrombolysis (case report), 140
Patel, J., jt.author. *See* Parry, D.J.
Payne, C.E., Hunt, S.P. and Lamberty, B.G.H. Primary sciatic nerve repair using titanium staples, 330
Pelissier, P., Martin, D., Baudet, J., Lepreux, S. and Masquelet, A.-C. Behaviour of cancellous bone graft placed in induced membrane (correspondence), 596
Pennington, D.G., jt.author. *See* Hyakusoku, H.
Pennington, D.G., jt.author. *See* Ogawa, R.
Pereira, J., jt.author. *See* Georgeu, G.
Pereira, J.A., jt.author. *See* Schonauer, F.
Perks, A.G.B., jt.author. *See* Raurell, A.
Perry, J.D. Blindness and severe visual impairment in facial fractures (correspondence), 363
Peterson, D.C., jt.author. *See* Kirkpatrick, W.N.A.
Pfeiffer, U.J., jt.author. *See* Holm, C.
Pickford, M.A., jt.author. *See* Khan, U.
Pigott, R.W. An analysis of the strengths and weaknesses of endoscopic and radiological investigations of velopharyngeal incompetence based on a 20 year experience of simultaneous recording, 32
Pittet, B., jt.author. *See* Quinodoz, P.
Piza-Katzer, H. Free allogeneic muscle transfer for cranial reconstruction (case report), 436
Piza-Katzer, H., jt.author. *See* Schwabegger, A.H.
Pleat, J.M., jt.author. *See* Dunkin, C.S.J.
Poole, M., jt.author. *See* O'Toole, G.
Powell, B., jt.author. *See* Clarkson, J.H.W.
Powell, B.W.E.M., jt.author. *See* Mandalia, M.R.
Powell, B.W.E.M., jt.author. *See* Rayatt, S.S.
Prat, Y., jt.author. *See* Loreti, A.
Prosser, G.H., Sterne, G.D. and Nancarrow, J.D. Intratendinous rupture of flexor digitorum profundus caused by non-specific synovitis (case report), 77
Putnis, S., jt.author. *See* Georgeu, G.

Q

Quaba, A.A., jt.author. *See* Anderson, W.D.
Quinodoz, M., jt.author. *See* Quinodoz, P.
Quinodoz, P., Quinodoz, M., Nussbaum, J.-L., Montandon, D. and Pittet, B. Barium sulphate and soft-tissue radiology: allying the old and the new for the investigation of animal cutaneous microcirculation, 664

R

Rab, M., Koller, R., Haslik, W., Kamolz, L.-P., Beck, H., Meggeneder, J. and Frey, M. The influence of timing on the functional and morphological result after nerve grafting: an experimental study in rabbits, 628
Ragbir, M., Dunaway, D.J., Chippindale, A.J., Latimer, J., Mohammed, F. and McLean, N.R. Prediction of the position of the intraparotid portion of the facial nerve on MRI and CT, 376
Raine, C., jt.author. *See* Morritt, A.N.
Rajacic, N., jt.author. *See* Alexander, G.
Rajendra Prasad, J.S., Chaudhari, C., Cunha-Gomes, D., Bhathena, H.M., Sheth, A. and Kavarana, N.M. The venoneuroadipofascial

pedicled distally based sural island myofasciocutaneous flap: case reports, 210
Rajendra Prasad, J.S., Cunha-Gomes, D., Chaudhari, C., Bhathena, H.M., Desai, S. and Kavarana, N.M. The venoneuroadipofascial pedicled distally based sural island myofasciocutaneous and muscle flaps: anatomical basis of a new concept, 203
Ramakrishnan, V., jt.author. *See* Ali, R.S.
Ramakrishnan, V., jt.author. *See* Garrido, A.
Ramakrishnan, V., jt.author. *See* Kabir, S.M.R.
Ramakrishnan, V., jt.author. *See* Raurell, A.
Ramsey, K.W.D., jt.author. *See* Georgeu, G.A.
Rao, G.S., jt.author. *See* Sugden, P.
Rath, T., jt.author. *See* Nehrer-Taircych, G.V.
Rauf, G., jt.author. *See* White, N.
Raurell, A., Ahmed, O., George, E. and Ramakrishnan, V. V-Y advancement flap and composite graft for alar-groove reconstruction, 8
Raurell, A. and Perks, A.G.B. Effective insulation of the cutting diathermy blade (correspondence), 169
Raurell, A. and Stanley, P.R.W. Infiltration of local anaesthetic using a tourniquet (correspondence), 177
Raurell, A., jt.author. *See* Kabir, S.M.R.
Rayatt, S.S., Hettiaratchy, S.P., Key, A. and Powell, B.W.E.M. Psychosocial benefits of sentinel lymph node biopsy in the management of cutaneous malignant melanoma, 95
Razzell, R.E., jt.author. *See* Stewart, K.J.
Regan, P., jt.author. *See* Lynch, J.
Revol, M., jt.author. *See* Basmacioglu, P.
Reynolds, N. and Kenealy, J. Use of carbon dioxide laser in the treatment of multiple epidermoid cysts (case report), 260
Rhodes, N., jt.author. *See* Beale, R.
Rhodes, N.D., Wilson, P.A. and Southern, S.J. The use of image-editing software in plastic surgery teaching (correspondence), 594
Richards, L., jt.author. *See* Zhang, F.
Richardson, M., jt.author. *See* Ajekigbe, L.O.
Rizkalla, M., Webb, J., Chuo, C.B. and Matthews, R.N. Experience of explantation of Trilucent breast implants, 117
Roberts, D.L.L., jt.author. *See* Newton Bishop, J.A.
Robertson, I., jt.author. *See* Parry, D.J.
Roblin, P. and Belcher, H.J.C.R. Optimisation of serial excision (correspondence), 57
Roblin, P., Smith, R.W. and Gilbert, P.M. Anomalous anterior midline cervical tube (case report), 691
Rocco, M., jt.author. *See* Grippaudo, F.R.
Roesken, F. , jt.author. *See* Rücker, M.
Rose, V., Moloney, D. and Fleming, A.N.M. The bra-strap injury: should men have lessons? (correspondence), 179
Rose, V., Turner, M., Harris, P.A. and Moss, A.L.H. Emergency treatment of accidental infusion leakage in the newborn (correspondence), 89
Ross, G.L., Shoaib, T., Scott, J., Soutar, D.S., Gray, H.W. and MacKie, R. The learning curve for sentinel node biopsy in malignant melanoma, 298
Rowsell, A.R., jt.author. *See* Skillman, J.M.
Rücker, M., Vollmar, B., Roesken, F., Spitzer, W.J. and Menger, M.D. Microvascular transfer-related abrogation of capillary flow motion in critically reperfused composite flaps, 129
Rudnik-Schöneborn, S., jt.author. *See* Aslani, A.
Russell-Jones, R., Acland, K., Calonje, E., Doherty, M. and Healy, C. Staging of melanoma, and the UK guidelines (correspondence), 452

S

Sacks, L., jt.author. *See* Azad, S.
Saelens, H., jt.author. *See* Monstrey, S.
Saita, Y., Yokoyama, K., Nakamura, K. and Itoman, M. Protective effect of ischaemic preconditioning against ischaemia-induced reperfusion injury of skeletal muscle: how many preconditioning cycles are appropriate?, 241
Sakai, S. Reconstruction of an amputated fingertip by a prefabricated free volar forearm flap (case report), 523
Sanders, R., jt.author. *See* Chana, J.S.
Sanders, R., jt.author. *See* Kang, N.
Saracca, E., jt.author. *See* Grippaudo, F.R.
Saraiya, H.A. Management of aplasia cutis congenita of the scalp: a continuing enigma (correspondence), 707
Saray, A., Kaygusuz, S., Kisa, U. and Kilic, D. Candida colonisation within a silicone tissue expander (case report), 257
Sathappan, S., jt.author. *See* Josty, I.C.
Sawada, Y., jt.author. *See* Yotsuyanagi, T.
Schilfgaarde, R. van, jt.author. *See* Zeebregts, C.
Schonauer, F., La Rusca, I., Pereira, J.A. and Molea, G. Redefinition of the helical rim in cauliflower-ear surgery (case report), 66
Schrey, A., jt.author. *See* Kinnunen, I.
Schuhfried, O., jt.author. *See* Nehrer-Taircych, G.V.
Schwabegger, A.H., Bodner, G., Ninković, M. and Piza-Katzer, H. Thoracodorsal artery perforator (TAP) flap: report of our experience and review of the literature, 390
Scott, D.J.A., jt.author. *See* Parry, D.J.
Scott, J., jt.author. *See* Ross, G.L.
Sengezer, M., Deveci, M., Öztürk, S., Bozkurt, M., Kurt, E. and Süer, A.H. Two in one: patient-controlled epidural analgesia (PCEA) to prevent erection and control pain in adult hypospadias-surgery patients, 494
Servant, J.-M., jt.author. *See* Basmacioglu, P.
Shaaban, H., Bayat, A., Davenport, P. and Shah, M. Necrotising fasciitis in an infant with congenital insensitivity to pain syndrome (case report), 160
Shah, M., jt.author. *See* Shaaban, H.
Sheth, A., jt.author. *See* Rajendra Prasad, J.S.
Shibu, M., jt.author. *See* De Souza, B.A.
Shirakabe, M., jt.author. *See* Yagi, Y.
Shoaib, T., Dunn, R. and Soutar, D. UK guidelines for the management of cutaneous melanoma (correspondence), 706
Shoaib, T., jt.author. *See* Ross, G.L.
Siegmund, C.J. and Devlin, M. Useful instrument for retracting a patient's tongue (correspondence), 178
Sivarnjan, V. and Mackay, I.R. Videomicroscopy as a tool for counting hairs (correspondence), 700
Skillman, J., Cerovac, S., Fleming, A. and Moss, A.L.H. Titanium clips: a simple technique for the excision of accessory tragi and digits (correspondence), 589
Skillman, J., jt.author. *See* Cicchetti, S.
Skillman, J.M., Ahmed, O., Dheansa, B. and Rowsell, A.R. The Marshall technique: an economic one-stage technique for nipple-areola reconstruction, 504
Skillman, J.M., Ahmed, O. and Rowsell, A.R. Incidental improvement of breast capsular contracture following treatment of arthritis with glucosamine and chondroitin (correspondence), 454
Skillman, J.M., jt.author. *See* Mandalia, M.R.
Sleilati, F., jt.author. *See* Franchi, G.
Smith, I.M. and Southern, S.J. The use of 'moving-image files' to record global hand movement (correspondence), 262
Smith, R.W., jt.author. *See* Roblin, P.
Soupre, V., jt.author. *See* Franchi, G.
Soutar, D., jt.author. *See* Shoaib, T.
Soutar, D.S., jt.author. *See* Ross, G.L.
Southern, S., jt.author. *See* Hough, M.
Southern, S.J., jt.author. *See* Beale, R.
Southern, S.J., jt.author. *See* Rhodes, N.D.
Southern, S.J., jt.author. *See* Smith, I.M.
Spitzer, W.J., jt.author. *See* Rücker, M.
Spyrou, G., jt.author. *See* Garrido, A.
Spyrou, G.E. and Naylor, I.L. The effect of basic fibroblast growth factor on scarring, 275
Stanek, J.J., jt.author. *See* Kavouni, A.
Stanley, P.R.W., jt.author. *See* Garrido, A.
Stanley, P.R.W., jt.author. *See* Raurell, A.
Sterne, G., jt.author. *See* Dalal, M.
Sterne, G.D., Fatah, M.F. and Kong, K.L. Continuous infusion of muscle relaxant facilitates closure of the TRAM-flap donor site (correspondence), 89
Sterne, G.D., jt.author. *See* Prosser, G.H.
Stevenson, J.H., jt.author. *See* DeBono, R
Stevenson, J.H., jt.author. *See* Yap, L.H.
Stewart, K.J., Ahmad, T., Razzell, R.E. and Watson, A.C.H. Altered speech following adenoidectomy: a 20 year experience, 469
Stewart, K.J., Holmes, J.D. and Kolhe, P.S. Neonatal excision of minor congenital anomalies under local anaesthetic (correspondence), 170
Stewart, K.J., jt.author. *See* Anderson, W.D.

Sturla, M., jt.author. *See* Loreti, A.
Süer, A.H., jt.author. *See* Sengezer, M.
Sugden, P., Azad, S. and Rao, G.S. The accuracy of preoperative chordee evaluation in hypospadias (correspondence), 87
Sundaram, R.O., Juma, A. and Dhital, S.K. An aid to flap design in scalp surgery (correspondence), 365
Suvarna, S.K., jt.author. *See* Bisson, M.A.
Suvarna, S.K., jt.author. *See* Griffiths, R.W.
Szczyt, M., jt.author. *See* Kobus, K.

T

Takakura, Y., jt.author. *See* Akahane, M.
Tanaka, K., jt.author. *See* Mori, H.
Taniguchi, T., jt.author. *See* Muraoka, M.
Tanuma, K., jt.author. *See* Ogawa, R.
Taylor, G.I. Keeping a head (23rd Sir Harold Gillies Memorial Lecture), 543
Teot, L., jt.author. *See* Giovanni, U.M.
Tepavicharova-Romanska, P. Breast asymmetry as a result of congenital amniotic folds in the thoracoabdominal area (case report), 686
Terán, P., Araya, E. and Casado, C. Reconstruction of a pulp defect using a free finger-pulp flap from a non-replantable digit (case report), 158
Terenghi, G., jt.author. *See* Young, R.C.
Theron, J., jt.author. *See* Faguer, K.
Thompson, A., jt.author. *See* DeBono, R
Timmons, M.J., Hessel, K.C. and Kranidhiotis, N.M. Complete excision of basal cell carcinomas (correspondence), 362
Timoney, N. and Davison, P.M. Management of chondrodermatitis helicis by protective padding: a series of 12 cases and a review of the literature, 387
To, E.W.H. Sternomastoid muscle flap for parotidectomy: the pros and cons (correspondence), 88
Topping, A., Harris, P. and Moss, A.L.H. The 6p deletion syndrome: a new orofacial clefting syndrome and its implications for antenatal screening (case report), 68
Treharne, L.J. An improved technique for the application of topical anaesthetic cream to skin graft donor sites (correspondence), 456
Tulley, P., jt.author. *See* Chana, J.S.
Tuncer, S., jt.author. *See* Çizmeci, O.
Tung, T.H.H., jt.author. *See* Novak, C.B.
Turner, M., jt.author. *See* Rose, V.

U

Uchinuma, E., jt.author. *See* Yamada, N.
Ueda, K., jt.author. *See* Kajikawa, A.
Ueda, K., jt.author. *See* Yagi, Y.
Umeda, T., jt.author. *See* Mori, H.
Urushidate, S., jt.author. *See* Yotsuyanagi, T.

V

Vadodaria, S., jt.author. *See* Pandya, A.N.
Van De Kar, T., jt.author. *See* Lapière, K.
Van Geertruyden, J.P. Earlobe reconstruction with a reverse-flow chondrocutaneous flap (case report), 253
Van Landuyt, K., jt.author. *See* Monstrey, S.
van Schilfgaarde, R., jt.author. *See* Zeebregts, C.
Vanwijck, R., jt.author. *See* Basmacioglu, P.
Varghese, S., jt.author. *See* Jose, R.M.
Varma, J.S., jt.author. *See* Adedeji, O.A.
Vazquez, M.P., jt.author. *See* Franchi, G.
Vogt, P.M., jt.author. *See* Felmerer, G.
Vollmar, B., jt.author. *See* Rücker, M.
Vulvoda, M., jt.author. *See* Lari, A.R.

W

Warner, R.M., Bourke, G. and Fourie, L. Internal mammary node metastases in breast cancer: influence on patient and flap survival (correspondence), 539
Warwick, K., jt.author. *See* Grant, I.
Watanabe, Y., jt.author. *See* Yotsuyanagi, T.
Waterhouse, N., jt.author. *See* Kirkpatrick, W.N.A.
Waterhouse, N., jt.author. *See* Lawson, K.
Waterhouse, N., jt.author. *See* Withey, S.
Waters, R., jt.author. *See* Chester, D.L.
Watson, A.C.H., jt.author. *See* Stewart, K.J.
Watson, J.D., jt.author. *See* Yap, L.H.
Watson, J.S., jt.author. *See* Lahiri, A.
Watson, S., jt.author. *See* Kumar, P.
Webb, J., jt.author. *See* Rizkalla, M.
Weerd, L. de and Weum, S. The butterfly design: coverage of a large sacral defect with two pedicled lumbar artery perforator flaps (case report), 251
Weum, S., jt.author. *See* Weerd, L. de
White, N. and Rauf, G. Sensitisation to red tattoo pigment (correspondence), 365
Whiten, S.C., jt.author. *See* Yap, L.H.
Whitworth, I.M., jt.author. *See* Banwell, P.E.
Wiberg, M., jt.author. *See* Young, R.C.
Willis, K. and Moss, A.L.H. Failure to thrive in babies with cleft lip and palate (correspondence), 175
Wilson, G.D., jt.author. *See* Chana, J.S.
Wilson, G.R., jt.author. *See* Bulstrode, N.W.
Wilson, P.A., jt.author. *See* Rhodes, N.D.
Wilson, Y., jt.author. *See* Anderson, W.D.
Witherow, H., jt.author. *See* Withey, S.
Withey, S., Witherow, H. and Waterhouse, N. One hundred cases of endoscopic brow lift, 20
Withey, S., jt.author. *See* Mellor, R.H.
Wójcicki, P., jt.author. *See* Kobus, K.

Y

Yagi, Y., Ueda, K., Shirakabe, M., Oba, S. and Omiya, Y. Reconstruction of knee ligaments with a free tensor fascia lata myocutaneous flap transfer (case report), 155
Yamada, N., Matsuo, A., Masuda, R., Hayashi, K. and Uchinuma, E. Ideal skin grafting for pyoderma chronica (case report), 358
Yamaguchi, Y., jt.author. *See* Kikuchi, M.
Yamashita, K., jt.author. *See* Yotsuyanagi, T.
Yano, K., jt.author. *See* Kikuchi, M.
Yap, L.H., Ahmad, T. and Watson, J.D. The turnaround suture to maintain direction in continuous areolar sutures (correspondence), 459
Yap, L.H., Whiten, S.C., Forster, A. and Stevenson, J.H. The anatomical and neurophysiological basis of the sensate free TRAM and DIEP flaps, 35
Yokoi, K., jt.author. *See* Yotsuyanagi, T.
Yokoyama, K., jt.author. *See* Saita, Y.
Yotsuyanagi, T., Watanabe, Y., Yamashita, K., Urushidate, S., Yokoi, K. and Sawada, Y. New treatment of a visible linear scar in the scalp: multiple hair-bearing flap technique, 124
Yotsuyanagi, T., Yamashita, K., Urushidate, S., Yokoi, K., Sawada, Y. and Miyazaki, S. Surgical correction of cauliflower ear, 380
Young, R.C., Wiberg, M. and Terenghi, G. Poly-3-hydroxybutyrate (PHB): a resorbable conduit for long-gap repair in peripheral nerves, 235

Z

Zeebregts, C., Acosta, R., Bölander, L., Schilfgaarde, R. van and Jakobsson, O. Clinical experience with non-penetrating vascular clips in free-flap reconstruction, 105
Zhang, F., Richards, L., Angel, M.F., Zhang, J., Liu, H., Dorsett-Martin, W. and Lineaweaver, W.C. Accelerating flap maturation by vascular endothelium growth factor in a rat tube flap model, 59
Zhang, J., jt.author. *See* Zhang, F.

British Journal of Plastic Surgery (2002) **55**, 723–729
© 2002 The British Association of Plastic Surgeons. Published by Elsevier Science Ltd. All rights reserved.

BRITISH JOURNAL OF PLASTIC SURGERY

Subject Index

A

Abdominal wall reconstruction, porcine dermal collagen graft (case report), 85
Achilles tendon reconstruction, venoneuroadipofascial pdeicled distally based sural island myofasciocutaneous flap, 210
Acyclovir extravasation injury, diabetic patient (correspondence), 264
Adder bite, late compartment syndrome, 434
Adenoidectomy, altered speech following, 469
Adhesive tape, sterilisation (correspondence), 178
Adipofascial flaps, free radial forearm, 412
Alar groove reconstruction, V-Y advancement flap and composite graft, 8
Alginate dressings, modified application on graft donor sites (correspondence), 177
Alopecia, multiple hair-bearing flaps, 324
Amniotic bands, congenital, breast asymmetry and (case report), 686
Amniotic fluid, influence on cartilage regeneration in ear perichondrial flaps, 246
Amputation stumps: skin grafts for degloved below-knee stumps, 320
Anaesthetic, local, infiltration using tourniquet (correspondence), 177
Anaesthetic cream, application to skin graft donor site (correspondence), 456
Analgesia, patient-controlled epidural, to prevent erection and control pain after hypospadias surgery, 494
Angiogenesis
  pedicle flaps, vascular endothelial growth factor and, 59
  tissue-engineered grafts and disease states (review), 603
Aplasia cutis congenita
  scalp, management (correspondence), 707
  thighs, in newborn (case report), 530
Areola
  continuous sutures, turnaround suture in (correspondence), 459
  marking technique (correspondence), 534
  see also Nipple–areola
Audit
  clinical and prognostic factors in primary invasive squamous cell carcinoma of skin, 287
  incomplete excision of basal cell carcinoma, 616
  tetanus immunisation status of plastic surgery trauma and burns patients, 215
Auricle reconstruction, 645
Axilla
  contractures, salute splint for (correspondence), 88
  hidradenitis suppurativa
    perforator-based fasciocutaneous island flaps, 124
    split-thickness skin grafts and negative pressure dressings, 507
  lymph-node dissection, Wordsley step incision (correspondence), 364

B

Barium sulphate and soft-tissue radiology, microangiography, 664
Basal cell carcinoma
  complete excision (correspondence), 362
  excision margins, 293
  giant, lower abdominal/genital/bilateral inguinal regions (case report), 445
  incomplete excision, audit, 616
  stretch test (correspondence), 594
Blindness, facial fractures, 1, 363 (correspondence)
Blood flow
  microvascular transfer-related abrogation of capillary flow motion in critically reperfused composite flaps, 129
  responses in pedicled groin flaps, effect of hypothermia, 657
Bone grafts: behaviour of cancellous graft placed in induced membranes (correspondence), 596
Bra, maternity, use as dressing after breast reduction (correspondence), 591
Bra-strap injury (correspondence), 179, 453
Breast asymmetry as a result of congenital amniotic folds in thoracoabdominal area (case report), 686
Breast cancer
  internal mammary node metastases (correspondence), 539
  local recurrence around prosthesis dome (case report), 685
Breast implants
  capsular contracture, improvement following arthritis treatment with glucosamine and chondroitin (correspondence), 454
  capsule within a capsule (correspondence), 455
  impact on breast-screening programme (correspondence), 592
  laboratory simulation of recreational diving conditions, 120
  local cancer recurrence around prosthesis dome (case report), 685
  silicone, *Candida* colonisation (case report), 257
  Trilucent
    chemical analysis of triglyceride filler in removed prostheses, 479
    history, 479
    inflammatory expansion of breast (case report), 694
    removal, 117
    histological and clinical observations, 231
    true double capsules (correspondence), 270
  use of breast balloon dissector as sizer (correspondence), 459
  wrinkling, prevention using capsular flap (correspondence), 269
Breast reconstruction
  immediate, Koebner phenomenon in myocutaneous flap (correspondence), 267
  immediate versus delayed free TRAM reconstruction, 111
  nipple–areola reconstruction
    fading of, 574
    Marshall technique, 504
  post-burn, abdominal full-thickness skin graft (case report), 148
  sensate free TRAM and DIEP flaps, anatomical and neurophysiological basis, 35
  simple modification of TRAM flap (correspondence), 173
  stacked free hemi-DIEP flaps in patient with midline abdominal scarring (case report), 351
Breast reduction
  consent to, use of sticky labels (correspondence), 176
  maternity bra as dressing (correspondence), 591
Breast sizer, intraoperative (correspondence), 592
Brow lift, endoscopic, 20
Burns
  axillary contractures, salute splint for (correspondence), 88
  breast resurfacing using abdominal full-thickness skin graft (case report), 148
  co-application of sprayed cultured autologous keratinocytes and autologous fibrin sealant, 219
  deep dermal, polarised-light therapy, 420
  neck, modified Watusi splint (correspondence), 270
  tetanus immunisation status of plastic surgery burns patients, 215

C

c-myc oncogene, melanoma gene therapy, 623
Cancer, head and neck, literature on, 570
Candida albicans colonisation, silicone tissue expander (case report), 257
Capillary flow motion, microvascular transfer-related abrogation in critically reperfused composite flaps, 129
Cartilage grafts
  conchal, rehabilitation of paralysed or lax lower eyelid, 12
  redefinition of helical rim in cauliflower-ear surgery (case report), 66
Cartilage infection, upper ear piercing, 194
Cartilage regeneration, perichondrial flaps, influence of amniotic fluid, 246

Cauliflower-ear surgery, redefinition of helical rim (case report), 66
Cerebral palsy, drooling, bilateral parotid-duct diversion using autologous vein grafts, 490
Cervical anomalies: anomalous midline cervical tube (case report), 691
Cheek advancement flaps, in crab-pincers style facial artery flap, 565
Chondritis, upper ear piercing, 194
Chondrocutaneous flaps, reverse-flow, earlobe reconstruction (case report), 253
Chondrodermatitis helicis, management by protective padding, 387
Chondroitin, effect on breast capsular contracture (correspondence), 454
Chordee, preoperative evaluation in hypospadias (correspondence), 87
Chromosomal defects, 6p deletion syndrome as orofacial clefting syndrome (case report), 68
Cleft lip and palate
  failure of babies to thrive (correspondence), 175
  repair, preoperative swabs in, 176, 533 (correspondence)
Cleft palate
  adenoidectomy and, 469
  congenital alveolar synechiae syndrome (case report), 256
Clefting: 6p deletion syndrome as as orofacial clefing syndrome, antenatal screening and (case report), 68
Clips
  titanium, excision of accessory tragi and digits in neonates (correspondence), 589
  see also Vascular clips
Collagen, porcine dermal graft in abdominal wall reconstruction (case report), 85
Columella reconstruction, crab-pincers style facial artery flap, 565
Compartment syndrome, snake bite and, 434
Computed tomography (CT)
  emergency, streptococcal myositis (case report), 682
  prediction of position of intraparotid portion of facial nerve, 376
Conchal cartilage graft, rehabilitation of paralysed or lax lower eyelid, 12
Congenital anomalies
  anterior midline cervical tube (case report), 691
  neonatal excision of minor anomalies (correspondence), 170
    titanium clips for (correspondence), 589
Consent, use of sticky labels (correspondence), 176
Cranial reconstruction, free allogeneic muscle transfer (case report), 436
Craniofacial reconstruction, closed-field titanium magnets for retention of prostheses, 668
Craniofacial surgery, paediatric transcranial procedures, 561
Craniometaphyseal dysplasia, autosomal dominant, with atypical features (case report), 144
Creutzfeldt–Jakob disease, variant (vCJD), withdrawal of Department of Health recommendations for single-use instruments (correspondence), 262
Cysts
  epidermoid, carbon dioxide laser treatment (case report), 260
  retention, lip, OK-432 injection (correspondence), 533

D

Data Protection Act 1998, implications in plastic surgical practice (correspondence), 168
Deep inferior epigastric (DIEP) flaps
  lymphatic system of perforator flaps, 335
  sensate free, anatomical and neurophysiological basis, 35
  stacked free hemi-DIEP flaps, breast reconstruction in patient with midline abdominal scarring (case report), 351
Degloving injuries
  below-knee amputation stumps, skin grafts, 320
  foot, vaccuum therapy (correspondence), 264
Dermis, artificial *see* Skin, artificial
Diabetic, acyclovir extravasation injury (correspondence), 264
Diathermy
  burns from Gillies forceps (correspondence), 263, 598, 705
  effective insulation of cutting blade (correspondence), 169
Digital nerve, hamartoma associated with 'triggering' of finger (correspondence), 366
Digits
  accessory, excision in neonates (correspondence), 170
    titanium clips for (correspondence), 589
  chronic erosion by ring (case report), 353
  reconstruction using free phalangeal transfer, donor-site outcome, 307
Diving, breast implants and, 120
Donor sites, modified application of alginate dressings (correspondence), 177
Dorsal intercostal cutaneous perforators, anatomical study and application to free microvascular augmented subdermal vascular network, 396
Dressings *see* Wound dressings
Drooling, cerebral palsy, bilateral parotid-duct diversion using autologous vein grafts, 490

E

Ear(s)
  auricle reconstruction, 645
  cauliflower, surgical correction, 380
  combined posterior temporoparietal and galeal fascial flap for elevation of buried cartilage, 582
  conchal cartilage graft in rehabilitation of paralysed or lax lower eyelid, 12
  influence of amniotic fluid on cartilage regeneration in perichondrial flaps, 246
  piercing of upper ear, infection/reconstruction following, 194
  prominent, closed anterior scoring (correspondence), 168
  reconstruction
    elderly: two-part helix method in framework (correspondence), 589
    upper ear, after post-piercing infection, 194
  redefinition of helical rim in cauliflower-ear surgery (case report), 66
Earlobe reconstruction, reverse-flow chondrocutaneous flap (case report), 253
Elastoplast adhesive tape, sterilisation (correspondence), 178
Elbow flexion reconstruction, thoracodorsal to musulocutaneous nerve transfer, 416
Endoscopy
  brow lift, 20
  harvest of medial gastrocnemius muscle flap, 228
  investigation of velopharyngeal incompetence, 32
Envenomation, late compartment syndrome, 434
Ependymoma, sacrococcygeal extraspinal (case report), 80
Epidermoid cysts, carbon dioxide laser treatment (case report), 260
Epidermoylsis bullosa, groin dissection for control of metastatic squamous cell carcinoma (case report), 678
Epigastric flaps, deep inferior
  anatomical and neurophysiological basis of sensate free flaps, 35
  lymphatic system of perforator flaps, 335
  stacked free hemi-DIEP flaps for breast reconstruction in patient with midline abdominal scarring (case report), 351
Erection after hypospadias surgery, prevention by patient-controlled epidural analgesia, 494
Escobar syndrome (case report), 516
Extensor-tendon hyperplasia, Escobar syndrome (case report), 516
Extravasation injury
  acyclovir, diabetic patient (correspondence), 264
  newborn, emergency treatment (correspondence), 89
Eyelids
  lower, paralysed/lax, rehabilitation using graft of conchal cartilage, 12
  lymphoedema (case report), 153

F

Face
  fractures, blindness and severe visual impairment, 1, 363 (correspondence)
  hemifacial microsomia, multiple births and, 474
  rhytides, carbon dioxide laser resurfacing, 652
  solitary fibrous tumour (case report), 75
Facial artery flap, crab-pincers style, 565
Facial nerve
  intraparotid portion, prediction of position on MRI and CT, 376
  neurofibroma in parotid gland (case report), 689
Facial nerve paralysis, hypoglossial–facial nerve crossover, pure end-to-side anastomosis technique, 25

Fascial flaps: combined posterior temporoparietal and galeal fascial flap for elevation of buried cartilage, 582
Fasciocutaneous flaps
perforator-based island flaps for reconstruction of axillary defects after excision of hidradenitis suppurativa, 124
radial forearm flap for intraoral reconstruction, donor-site morbidity, 198
Fasciomucosal flaps: prelaminated radial forearm flap for intraoral reconstruction, donor-site morbidity, 198
Femur, segmental defect, ipsilateral free fibula transfer, 675
Fibroblast growth factor, effect on scarring, 275
Fibula transfer
ipsilateral free transfer for reconstruction of segmental femoral-shaft defect, 675
ossiofasciocutaneous flap, 312
Fibular flap, double-barrel, osteomyelitis of proximal tibia (case report), 520
Fingers
bra-strap injury (correspondence), 179, 453
chronic erosion by ring (case report), 353
extensor-tendon hyperplasia, Escobar syndrome (case report), 516
hamartoma of digital nerve associated with 'triggering' (correspondence), 366
reconstruction, free phalangeal transfer, 307
reconstruction of pulp defect using free finger-pulp flap from non-replantable digit (case report), 158
Fingertips
reconstruction of amputated fingertip by prefabricated free volar forearm flap (case report), 523
sensory recovery after reconstruction of defects using pedicled V flap (correspondence), 175
Flexor digitorum profundus, intratendinous rupture caused by non-specific synovitis (case report), 77
Fluorescence, laser-induced, indocyanine green, intraoperative evaluation of skin-flap viability, 635
Fluorescence microscopy, intravital, capillary flow motion in critically reperfused composite flaps, 129
Foam dressings, impromptu (correspondence), 364
Foot
degloving injuries, vaccuum therapy (correspondence), 264
free phalangeal transfer, donor-site outcome, 307
Forearm
free ulnar flap: modification (case report), 356
prefabricated free volar flap, reconstruction of amputated fingertip (case report), 523
radial flaps
adipofascial flaps raised through limited incisions, 412
donor-site morbidity after using the prelaminated fasciomucosal and the fasciocutaneous flaps for intraoral reconstruction, 198
Forehead lift, endoscopic, 20
Fractures
facial, blindness and severe visual impairment, 1, 363 (correspondence)
intraoperative fixation (correspondence), 365
Free flaps
effect of hypothermia on blood-flow responses in pedicled groin flaps, 657
fibula transfer for reconstruction of segmental femoral-shaft defect, 675
finger-pulp, reconstruction of pulp defect (case report), 158
microvascular myocutaneous, lumbosacral area (case report), 514
no-touch temperature monitoring (correspondence), 174
prefabricated volar forearm flap, reconstruction of amputated fingertip (case report), 523
radial forearm adipofascial, 412
tensor fascia lata myocutaneous, knee ligament reconstruction (case report), 105
thoracodorsal artery peforator, 390
use of non-penetrating vascular clips, 105

G

Gastrocnemius muscle flap
distally based sural island flap, 203
medial, endoscopic harvest, 228
Gastrocnemius myofasciocutaneous flap, distally based sural island flap, 203, 210
Gender reassignment: squamous cell carcinoma of penile skin in neovagina after male-to-female reassignment (case report), 449
Gene therapy
melanoma, *c-myc* oncogene and, 623
vascular endothelial growth factor, ischaemic skin flaps, 55
Gillies, Sir Harold: 23rd Sir Harold Gillies Memorial Lecture, 543
Gillies forceps, burns from (correspondence), 263, 598, 705
Glucosamine, effect on breast capsular contracture (correspondence), 454
Gluteal artery, inferior, perforator flap, ischial pressure sore reconstruction (case report), 83
Groin dissection for control of squamous cell carcinoma in epidermoylsis bullosa patients (case report), 678

H

Haemangiomas, Cyrano-nose, removal with Rethi incision, 498
Haematoma
following rhytidectomy, prevention (correspondence), 170
liposuction (correspondence), 269
Haemodynamics, effect of hypothermia on blood-flow responses in pedicled groin flaps, 657
Hair-bearing flaps, treatment of visible linear scar in scalp, 324
Hairs, counting, videomicroscopy (case report), 700
Hamartoma of digital nerve associated with 'triggering' of finger (correspondence), 366
Hand
extensor-tendon hyperplasia, Escobar syndrome (case report), 516
rehabilitation, patient instructions (correspondence), 537
Hand movements, global, recording using 'moving-image files' (correspondence), 262
Hand surgery
pillowcase sling (correspondence), 460
rehabilitation, tongue depressor in (correspondence), 268
Head and neck oncology, literature on, 570
Hemifacial microsomia, multiple births and, 474
Hidradenitis suppurativa, axillary reconstruction
perforator-based fasciocutaneous island flaps, 124
split-thickness skin grafts and negative pressure dressings, 507
Hypafix-induced pigmentation (correspondence), 266
Hypoglossial–facial nerve crossover using pure end-to-side anastomosis technique, facial nerve palsy, 25
Hypospadias repair
accuracy of preoperative chordee evaluation (correspondence), 87
patient-controlled epidural analgesia to prevent erection and control pain, 494
Hypothermia, effect on blood-flow responses in pedicled groin flaps, 657
Hypothermic preserved muscle viability determined by gene expression levels, 136

I

Implants, breast *see* Breast implants
Indocyanine green, laser-induced fluorescence, intraoperative evaluation of skin-flap viability, 635
Inferior gluteal artery perforator (IGAP) flap, ischial pressure sore reconstruction (case report), 83
Informed consent, use of sticky labels (correspondence), 176
Infusion leakage in newborn, emergency treatment (correspondence), 89
Integra 362 (correspondence)
in aesthetic reconstruction of lower leg (correspondence), 171
Intra-oral reconstruction, comparison of donor site morbidity after using the prelaminated fasciomucosal flap and the fasciocutaneous radial forearm flap, 198
Ischaemia, critical limb, combined distal bypass and free flap salvaged with catheter-directed thrombolysis (case report), 140
Ischaemia–reperfusion
microvascular transfer-related abrogation of capillary flow motion in critically reperfused composite flaps, 129
muscle viability after hypothermic ischaemia–reperfusion, 136
Ischaemia–reperfusion injury
ischaemic preconditioning as protection in skeletal muscle, 241
spermine/nitric oxide complex in preconditioning and flap survival enhancement, 430

Island flaps
perforator-based fasciocutaneous flaps for reconstruction of axillary defects after excision of hidradenitis suppurativa, 124
thoracodorsal artery peforator flap, 390
venoneuroadipofascial distally based sural myofasciocutaneous and muscle flaps, 203, 210

J

Joint prostheses in panniculitis, salvage (case report), 585

K

Kaposiform haemangioendothelioma (case report), 163
Keloids
genetic susceptibility to, transforming growth factor β_2 polymorphisms and, 283
painless steroid injections (correspondence), 534
spontaneous bleeding following steroid injection and silicone-gel sheeting (correspondence), 172
Keratinocytes, sprayed cultured autologous, delivered with autologous fibrin sealant, 219
Kirschner wire, migration (case report), 698
Knee ligaments, reconstruction with free tensor fascia lata myocutaneous flap transfer (case report), 155
Koebner phenomenon in myocutaneous flap following immediate breast reconstruction (correspondence), 267

L

Lasagne as model to assess practical skills of split-skin graft harvesting and meshing (correspondence), 703
Laser therapy
carbon dioxide
facial resurfacing, 652
multiple epidermoid cysts (case report), 260
spontaneous disappearance of viral warts at sites distant from treatment area (case report), 696
erbium:YAG, giant congenital naevus (case report), 440
Nd-YAG, allergic reaction in red tattoo (correspondence), 456
Leeches, attaching to desired area (correspondence), 540
Leg
fibula transfer, ossiofasciocutaneous flap, 312
lower
aesthetic complex reconstruction (correspondence), 171
venoneuroadipofascial pedicled distally based sural island myocfasciocutaneous and muscle flaps, 203, 210
Lentigo maligna, surgical excision, follow-up study, 611
Light, polarised, deep dermal burn wounds, 420
Limbs
cross-limb vascular shunting, major limb revascularisation (case report), 438
lower *see* Leg; Lower limb
surgery, self-retaining retractor (correspondence), 705
tissue expansion, 302
Lip
retention cyst, OK-432 injection (correspondence), 533
upper, reconstruction using crab-pincers style facial artery flap, 565
Liposuction, haematoma (correspondence), 269
Log books, spreadsheet for (correspondence), 267
Lower limb ischaemia, combined distal bypass and free flap salvaged with catheter-directed thrombolysis (case report), 140
Lumbar artery perforator flaps, butterfly design, sacral defect (case report), 251
Lumbosacral area, microvascular myocutaneous flaps using iliac vein and artery as recipient vessels (case report), 514
Lymphoedema, eyelids (case report), 153

M

Madelung's disease (correspondence), 536
Magnetic resonance imaging (MRI), prediction of position of intraparotid portion of facial nerve, 376
Magnets, closed-field titanium, retention of complex craniofacial prostheses, 668
Maxilla, melanotic neuroectodermal tumour of infancy (case report), 526
Melanoma, malignant
gene therapy, *c-myc* oncogene and, 623
halo naevus and, 512
management, UK guidelines, 46, 452 (correspondence), 706 (correspondence)
metastasis
aberrant lymph node (correspondence), 174
sentinel node in popliteal fossa (case report), 443
regional lymph node management: questionnaire survey of UK practice, 372
sentinel lymph node biopsy, 298
psychosocial benefits, 95
staging, UK guidelines and (correspondence), 452
subungual, two independent streaks in one nail bed (case report), 165
Melanotic neuroectodermal tumour of infancy involving orbit and maxilla (case report), 526
Microtia
auricle reconstruction, 645
combined posterior temporoparietal and galeal fascial flap, 582
multiple births and, 474
Microvascular anastomosis
double-barrelled end-to-end (technical innovation), 64
free-flap reconstructions, use of non-penetrating vascular clips, 105
lumbosacral area, use of iliac vein and artery as recipient vessels (case report), 514
Mouth, intra-oral reconstruction, comparison of donor site morbidity after using the prelaminated fasciomucosal flap and the fasciocutaneous radial forearm flap, 198
Mucomycosis, sino-nasal, orbital reconstruction following (case report), 72
Muscle
allogeneic transfer, cranial reconstruction (case report), 436
hypothermic preserved, viability determined by gene expression levels, 136
nerve grafting, influence of timing on functional and morphological result, 628
skeletal, ischaemic preconditioning as protection against ischaemia-induced reperfusion injury, 241
Muscle flaps
gastrocnemius
distally based sural island flap, 203
endoscopic harvest of medial flap, 228
osteomyelitis of proximal tibia (case report), 520
sternomastoid, parotidectomy (correspondence), 88
Musculocutaneous flaps
distally based venoneuroadipofascial pedicled island sural flap, 203, 210
free tensor fascia lata, knee ligament reconstruction (case report), 155
Koebner phenomenon, following immediate breast reconstruction (correspondence), 267
microvascular, lumbosacral area (case report), 514
Musculocutaneous nerve, thoracodorsal nerve transfer to, reconstruction of elbow flexion, 416
Myositis, streptococcal (case report), 682

N

Naevus
giant congenital, erbium:YAG laser treatment (case report), 440
halo, 512
Nail, securing using figure-of-eight suture (correspondence), 266
Nail bed, subungual melanoma (case report), 165
Nail plate
loss in children, involvement of the 'nail fairy' (correspondence), 90
prosthetic, use of polypropylene (correspondence), 701
Nasolabial flaps, in crab-pincers style facial artery flap, 565
Natal cleft, reconstruction with perforator-based flap, 671
Neck
burns, modified Watusi splint (correspondence), 270
see also Head and neck
Necrotising fasciitis, infant with congenital insensitivity to pain syndrome (case report), 160
Negative-pressure therapy
adverse alteration of wound flora, 510
axillary hidradenitis suppurativa, 507

Neonates, excision of minor congenital anomalies (correspondence), 170
  titanium clips in (correspondence), 589
Nerve grafting, influence of timing on functional and morphological result, 628
Nerves, primary repair, vascular closure staples, 330
Neurocutaneous flaps, distally based venoneuroadipofascial pedicled sural island myofasciocutaneous and muscle flaps, 203, 210
Neuroectodermal tumour, melanotic, involving orbit and maxilla (case report), 526
Neurofibroma, facial nerve in parotid gland (case report), 689
Nipple–areola reconstruction
  fading of, 574
  Marshall technique, 504
Nitric oxide, spermine/nitric oxide complex, preischaemic application in flap survival enhancement, 430
Nose
  alar groove reconstruction, V-Y advancement flap and composite graft, 8
  Cyrano-nose haemangiomas, removal with Rethi incision, 498

O

OK-432 injection, retention cyst of lip (correspondence), 533
Oncocytosis, diffuse hyperplastic, parotid gland (case report), 151
Oral mucosal grafts to orbit, 100
Orbit
  melanotic neuroectodermal tumour of infancy (case report), 526
  reconstruction
    following sino-nasal mucormycosis (case report), 72
    oral mucosal grafts, 100
Orofacial clefting syndromes, 6p deletion syndrome as, antenatal screening (case report), 68
Ossiofasciocutaneous flaps, fibula transfer, 312
Osteomyelitis, proximal tibia, one-stage treatment (case report), 520
Osteomyocutaneous flaps, microvascular transfer-related abrogation of capillary flow motion in critically reperfused flaps, 129

P

Pain, congenital insensitivity in infant, necrotising fasciitis and (case report), 160
Panniculitis, salvage of major joint prostheses (case report), 585
Parotid duct diversion, drooling in cerebral palsy, 490
Parotid gland
  diffuse hyperplastic oncocytosis (case report), 151
  facial-nerve neurofibroma in (case report), 689
Parotid tumours, relationship to facial nerve, prediction on MRI and CT, 376
Parotidectomy, sternomastoid muscle flap (correspondence), 88
Pedicle flaps
  acceleration of maturation by vascular endothelial growth factor, 59
  fingertip reconstruction, sensory recovery (correspondence), 175
Penis: squamous cell carcinoma of penile skin in neovagina after male-to-female reassignment (case report), 449
Perforator flaps
  deep inferior epigastric artery, lymphatic system, 335
  inferior gluteal artery, ischial pressure sore reconstruction (case report), 83
  lumbar artery (butterfly design), sacral defect coverage (case report), 251
  natal cleft reconstruction, 671
  thoracodorsal artery, 390
Perforators, intercostal
  dorsal cutaneous perforators, anatomical study and application to free microvascular augmented subdermal vascular network, 396
  microvascular augmented subdermal vascular network, 402
Perichondrial flaps, influence of amniotic fluid on potential to form cartilage tissue, 246
Peripheral nerve repair, poly-3-hydroxybutyrate nerve conduit, 235
Piercing
  tongue, retained stud (correspondence), 535
  upper ear, infection/reconstruction following, 194
Pigmentation, Hypafix-induced (correspondence), 266
Pilonidal sinuses, natal cleft, perforator-based flap for cleft reconstruction, 671
Plastic surgery, evolution and future (23rd Sir Harold Gillies Memorial Lecture), 543
Polarised-light therapy, deep dermal burn wounds, 420
Poly-3-hydroxybutyrate nerve conduit, peripheral nerve repair, 235
Polypropylene for use as prosthetic nail plate (correspondence), 701
Popliteal fossa, sentinel node, malignant melanoma metastasis (case report), 443
Pressure sores
  chondrodermatitis helicis, 387
  ischial, reconstruction using inferior gluteal artery perforator flap (case report), 83
  sacral, pedicled lumbar artery perforator flaps: butterfly design (case report), 251
Pterygia, multiple, Escobar syndrome (case report), 516
Pyodermia chronica, skin grafting (case report), 358

R

Radial forearm flaps
  donor-site morbidity after using the prelaminated fasciomucosal and the fasciocutaneous flaps for intraoral reconstruction, 198
  free adipofascial flaps raised through limited incisions, 412
Radiology, soft-tissue, combined with barium sulphate, microangiography, 664
Rectus femoris muscle, nerve grafting, influence of timing on functional and morphological result, 628
Reperfusion injury, hypothermic preserved muscle, 136
Replantation
  reconstruction of amputated fingertip by prefabricated free volar forearm flap (case report), 523
  viability of hypothermic preserved muscle, 136
Research
  postgraduate training, 427
  United Kingdom, 463
Retractor, self-retaining, limb surgery (correspondence), 705
Reverse-flow flaps, chondrocutaneous, earlobe reconstruction (case report), 253
Rheumatoid arthritis, panniculitis, salvage of major joint prostheses (case report), 585
Rhytidectomy, prevention of haematoma (correspondence), 170
Rhytides, facial, carbon dioxide laser treatment, 652
Ruler, semi-regid, versatility in plastic surgery (correspondence), 704

S

Sacral defect, pedicled lumbar artery perforator flaps: butterfly design (case report), 251
Sacrococcygeal extraspinal ependymoma (case report), 80
Salivary gland tumours, diffuse hyperplastic oncocytosis of parotid gland (case report), 151
Scalp
  aplasia cutis congenita management (correspondence), 708
  flap design (correspondence), 365
  giant congenital naevus, laser treatment (case report), 440
  scars, multiple hair-bearing flap technique, 324
Scars
  effect of fibroblast growth factor, 275
  hypertrophic, painless steroid injections (correspondence), 534
  keloid *see* Keloids
  scalp, multiple hair-bearing flap technique, 324
  use of scar simulator to aid patients understanding of postoperative scar outcome (correspondence), 458
Sciatic nerve repair using titanium staples, 330
Self-harm, surgical procedures on satellite television and (correspondence), 702
Sentinel node
  biopsy, malignant melanoma, 298
    psychosocial benefits, 95
  popliteal fossa, malignant melanoma metastasis (case report), 443
Skin
  artificial substitutes, 185 (review), 362 (correspondence)
    in aesthetic reconstruction of lower leg (correspondence), 171
  basal cell carcinoma, excision margins, 293
  closure, variant mattress suture (correspondence), 178
  serial excision, optimisation (correspondence), 537

small lesions, circular excision (surgery without sutures) (correspondence), 90
squamous cell carcinoma
penile skin in neovagina after male-to-female reassignment (case report), 449
prognostic factors, 287
Skin flaps
ischaemic, vascular endothelial growth factor gene therapy, 55
tubed pedicle, acceleration of maturation by vascular endothelial growth factor, 59
viability, intraoperative evaluation using laser-induced fluorescence of indocyanin green, 635
Skin grafts
abdominal full-thickness, post-burn breast resurfacing (case report), 148
degloved below-knee amputation stumps, 320
donor sites, application of anaesthetic cream (correspondence), 456
pyodermia chronica (case report), 358
split-thickness
axillary hidradenitis suppurativa, 507
technical modification for effective fenestration of small grafts (correspondence), 539
use of lasagne in assessment of harvesting and meshing skills (correspondence), 703
Sling, pillowcase, after hand surgery (correspondence), 460
Snakebite, late compartment syndrome, 434
Software, image-editing, plastic surgery teaching (correspondence), 594
Speech, effect of adenoidectomy, 469
Splints
hand, patient instructions (case report), 537
salute, axillary contractures (correspondence), 88
Watusi, modified (correspondence), 270
Squamous cell carcinoma
epidermoylsis bullosa patients, groin dissection for (case report), 678
penile skin in neovagina after male-to-female reassignment (case report), 449
Squamous cell carcinoma of skin, prognostic factors, 287
Staples, vascular closure, sciatic nerve repair, 330
Sternomastoid muscle flap, parotidectomy (correspondence), 88
Steroid injections, hypertrophic scars and keloids (correspondence), 534
Streptococcal myositis (case report), 682
Subdermal vascular network flaps
microvascular augmented, dorsal intercostal cutaneous perforators and, 396
variations and use of intercostal perforators, 402
Sutures
cross-stitch (correspondence), 701
figure-of-eight, securing of nails (correspondence), 266
recovery (correspondence), 588
turnaround suture in continuous areolar sutures (correspondence), 459
variant mattress, skin closure (correspondence), 178

T

Tattoo pigment, red, sensitisation to (correspondence), 365
treatment with Nd-YAG laser (correspondence), 456
Teaching, use of image-editing software (correspondence), 594
Television programmes, surgical self-harm and (correspondence), 702
Temperature monitoring, free flaps, no-touch method (correspondence), 174
Temporoparietal and galeal fascial flap for elevation of buried cartilage, 582
Tensor fascia lata free myocutaneous flap, knee ligament reconstruction (case report), 155
Tetanus immunisation, plastic surgery trauma and burns patients, 215
Thigh flap, fillet, reconstruction after basal cell carcinoma in lower abdominal/genital/bilateral inguinal regions (case report), 445
Thoracodorsal artery perforator (TAP) flaps, 390
Thoracodorsal to musculocutaneous nerve transfer, reconstruction of elbow flexion, 416
Thrombolysis, catheter-directed, salvage of combined distal bypass and free flap (case report), 140
Tibia, osteomyelitis, one-stage treatment (case report), 520
Tissue expander, silicone, *Candida* colonisation (case report), 257
Tissue expansion, limbs, 302
Tissue repair, co-application of sprayed cultured autologous keratinocytes and autologous fibrin sealant, 219
Tissue-engineered grafts, vascularisation (review), 603
Toe: prosthetic great toe for attachment to shoe (correspondence), 595
Tongue, retained stud (correspondence), 535
Tongue depressor as aid to rehabilitation after hand surgery (correspondence), 268
Tongue retraction, instrument for (correspondence), 178
Tragi, accessory, excision in neonates (correspondence), 170
titanium clips for (correspondence), 589
Training
log books, spreadsheet for (correspondence), 267
research options, 427
split-skin graft harvesting and meshing, assessment using lasagne (correspondence), 703
use of image-editing software (correspondence), 594
Transforming growth factor β_2 polymorphisms, genetic susceptibility to keloid disease, 283
Transverse rectus abdominis musculocutaneous (TRAM) flaps
donor site closure, continuous infusion of muscle relaxant and (correspondence), 89
free, venous augmentation (correspondence), 87, 363
immediate versus delayed breast reconstruction, 111
sensate free, anatomical and neurophysiological basis, 35
simple modification (correspondence), 173
Trauma, tetanus immunisation status of plastic surgery patients, 215
Tumours
solitary fibrous (case report), 75
see also Cancer

U

Ulnar forearm flap, free, modification (case report), 356
Unilink system, microvascular anastomosis, 105

V

V flaps, pedicled, reconstruction of fingertip defects, sensory recovery (correspondence), 175
V-Y advancement flap and composite graft, alar groove reconstruction, 8
Vacuum therapy, degloving injuries of foot (correspondence), 264
Vagina: squamous cell carcinoma of penile skin in neovagina after male-to-female reassignment (case report), 449
Vascular clips
non-penetrating, free-flap reconstructions, 105
sciatic nerve repair, 330
Vascular endothelial growth factor
acceleration of flap maturation, 59
gene therapy, ischaemic skin flaps, 55
Vascular network flaps, subdermal *see* Subdermal vascular network flaps
Vascularisation of tissue-engineered grafts (review), 603
VCS clip-applier system, microvascular anastomosis, 105
Velopharyngeal incompetence
after adenoidectomy, speech and, 469
endoscopic and radiological investigations, 32
Venous flaps, study of microvascular architecture, area of perfusion and their correlation, 340
Videomicroscopy as tool for counting hairs (correspondence), 700
Visual impairment, facial fractures, 1, 363 (correspondence)

W

Waiting lists for plastic surgery (correspondence), 457
Warts, viral, spontaneous disappearance at distant sites following carbon-dioxide laser treatment (case report), 696
Watusi splint, modified (correspondence), 270
Wordsley step incision, axillary lymph-node dissection (correspondence), 364
Wound dressings
alginate, modified application on graft donor sites (correspondence), 177

foam, impromptu (correspondence), 364
negative-pressure
adverse alteration of wound flora, 510
axillary hidradenitis suppurativa, 507
use of maternity bra after breast reduction (correspondence), 591
vacuum, degloving injuries of foot (correspondence), 264
Wound healing, co-application of sprayed cultured autologous keratinocytes and autologous fibrin sealant, 219
Wrinkles, facial, carbon dioxide laser treatment, 652